

**Montane Bald - Saddle Mountain**

List based in part on "Field trip to Saddle Mountain, Oregon," August 10, 2000, by Kenton Chambers

Last update: 8-2004

Row Codes

Introduced species

Locally rare, endemic, or near limit of range

? Species needs confirmation – recollect or photograph

Family	Scientific Name	Common Name	Habitat
<b>FERNS &amp; FERN ALLIES</b>			
<b>Equisetaceae</b>	Equisetum telmateia	giant horsetail	wet slopes
<b>Lycopodiaceae</b>	Lycopodium clavatum	elk-moss	forests
<b>Polypodiaceae</b>	Adiantum pedatum	maiden-hair fern	wet rocks
	Athyrium filix-femina	lady-fern	riparian
	Blechnum spicant	deer fern	forests
	Cryptogramma acrostichoides	parsley-fern	rocky slopes
	Cystopteris fragilis	brittle bladder-fern	rock crevices
	Dryopteris expansa	spreading woodfern	forests
	Gymnocarpium dryopteris	oak fern	forests
	Polypodium amorphum	western polypody	forests
	Polypodium glycyrrhiza	licorice fern	forests
	Polypodium hesperium	licorice fern	forests; Detling 1954
	Polystichum munitum	swordfern	forests
	Pteridium aquilinum	bracken	forests, meadows
<b>Selaginellaceae</b>	Selaginella oregana	Oregon selaginella	forest
	Selaginella wallacei	Wallace's selaginella	rocky slopes
<b>CONIFERS</b>			
<b>Cupressaceae</b>	Thuja plicata	western red cedar	forest
<b>Pinaceae</b>	Abies amabilis	silver fir	high, wet forests
	Abies grandis	grand fir	forests
	Abies procera	noble fir	forests
	Picea sitchensis	Sitka spruce	low forests
	Pseudotsuga menziesii	Douglas fir	dry forests
	Tsuga heterophylla	western hemlock	forests
<b>Taxaceae</b>	Taxus brevifolius	Pacific yew	forest, locally rare
<b>MONOCOTS</b>			
<b>Araceae</b>	Lysichiton americanum	skunk cabbage	wetlands
<b>Cyperaceae</b>	Carex deweyana	Dewey's sedge	forest
	Carex hendersonii	Henderson's sedge	forest
	<b>Carex macrochaeta</b>	<b>long-awned sedge</b>	meadows; southern limit for northern species
	Carex mertensii	Merten's sedge	meadows, talus slopes
	Carex pachystachya	thick-headed sedge	meadows, forest
	Carex rossii	Ross's sedge	forest
	Scirpus microcarpus	small-fruited bulrush	riparian, in streams on lower slopes
<b>Iridaceae</b>	Iris tenax	Oregon iris	meadows, talus slopes
	Sisyrinchium idahoense var. idahoense	blue-eyed grass	meadows
<b>Juncaceae</b>	Juncus bufonius	toad rush	meadows
	Junus effusus var. gracilis	soft rush	meadows, near top
	Juncus ensifolius	sickle-leaved rush	wet rocky slopes, near top
	Luzula campestris	field woodrush	forest
	Luzula divaricata	spreading woodrush	forest
	Luzula parviflora	small-flowered woodrush	forest
<b>Liliaceae</b>	<b>Allium cernuum</b>	<b>nodding onion</b>	rocky slopes; western limit for montane species
	Allium crenulatum	Olympic onion	rocky slopes
	Clintonia uniflora	queen's cup	forest
	Erythronium grandiflorum var. pallidum	yellow glacier lily	meadows
	<b>Erythronium oregonum</b>	<b>white fawn lily</b>	dry forest openings; locally rare
	<b>Erythronium revolutum</b>	<b>pink fawn lily</b>	forest, ONHP - rare

## Row Codes

*Introduced species***Locally rare, endemic, or near limit of range**

? Species needs confirmation – recollect or photograph

<i>Family</i>	<i>Scientific Name</i>	<i>Common Name</i>	<i>Habitat</i>
	Fritillaria affinis	chocolate lily	meadows, rocky slopes
	Lilium columbianum	tiger lily	forest, talus slopes
	<b>Lloydia serotina</b>	<b>alp lily</b>	meadows; western limit for circumboreal montane species
	Maianthemum dilatatum	false lily-of-the-valley	forests
	Maianthemum racemosum ssp. amplexicaule	false solomon's seal	forests, formerly Smilacina
	Maianthemum stellatum	starry solomon plume	forests, formerly Smilacina
	Prosartes hookeri	Hooker's fairy bell	forests, formerly Disporum
	Prosartes smithii	Smith's fairy lantern	forests, formerly Disporum
	Stenanthium occidentale	mountainbells	wet rocky slopes
	Streptopus amplexifolius	clasping-leaved twisted-stalk	forests
	Streptopus lanceolatus var. curvipes	rosy twisted-stalk	forests
	Trillium ovatum	western trillium	forests
<b>Orchidaceae</b>	Corallorhiza maculata	spotted coral-root	forest
	Corallorhiza mertensiana	western coral-root	forest
	Goodyera oblongifolia	western rattlesnake-plantain	forest
	Listera caurina	western tway-blade	forest
	Listera cordata	heart-leaved tway-blade	forest
	Piperia elegans	seaside rein-orchid	meadows; alt name P. maritima
	Piperia unalascensis	Alaska rein-orchid	meadows
<b>Poaceae</b>	<i>Agrostis capillaris</i>	<i>colonial bentgrass</i>	meadows
	Agrostis diegoensis	thin bentgrass	forest
	Agrostis exarata	spike bentgrass	forest
	<i>Aira caryophyllea</i>	<i>silver hairgrass</i>	meadows
	<i>Aira praecox</i>	<i>early hairgrass</i>	meadows
	Anthoxanthum odoratum	sweet vernal grass	meadows
	Bromus carinatus	California brome	forest
	<i>Bromus hordaceus</i>	<i>soft cheat</i>	meadows
	<i>Bromus japonicus</i>	<i>hairy chess</i>	meadows
	Bromus sitchensis	Sitka brome	meadows
	Bromus vulgaris	Columbia brome	wet rocky slopes, meadows
	Calamagrostis nutkaensis	Nootka reed grass	meadows
	Cinna latifolia	woodreed	forests
	Danthonia californica	California oat-grass	meadows
	Deschampsia elongata	slender hairgrass	meadows
	Elymus glaucus	blue wildrye	meadows, open forests
	Elymus hirsutus	hairy wildrye	forests
	Elymus trachycaulis	slender wheatgrass	alt name Agropyron trachycaulum, A. paciflorum
	<i>Festuca arundinacea</i>	<i>tall fescue</i>	meadows
	Festuca microstachys	Nuttall's fescue	meadows, Detling 1954, as F. pacifica
	Festuca occidentalis	western fescue	forests, meadows
	Festuca roemerii	red fescue, in part	meadows
	Festuca rubra	red fescue	meadows
	Festuca subulata	bearded fescue	forests
	Festuca viridula	mountain bunchgrass	meadows; Detling 1954, as F. howellii
	Holcus lanatus	velvet-grass	meadows, trails
	Koeleria macrantha	prairie Junegrass	meadows
	<i>Lolium rigidum</i>	<i>annual ryegrass</i>	trails, meadows
	Melica subulata	Alaska onion-grass	forests
	<b>Phleum alpinum</b>	<b>mountain timothy</b>	montane meadows; locally rare
	<i>Poa annua</i>	<i>annual bluegrass</i>	trails, meadows
	<i>Poa compressa</i>	<i>Canadian bluegrass</i>	trails, meadows
	Poa laxiflora	loose-flowered bluegrass	forest
	Poa marcida	withered bluegrass	forest
	Poa secunda	Pacific bluegrass	meadow, forest
	<i>Poa trivialis</i>	<i>rough-stalk bluegrass</i>	trails, meadows

## Row Codes

*Introduced species***Locally rare, endemic, or near limit of range**

? Species needs confirmation – recollect or photograph

<i>Family</i>	<i>Scientific Name</i>	<i>Common Name</i>	<i>Habitat</i>
	<i>Trisetum canescens</i>	tall trisetum	meadow, forest
	<i>Trisetum cernuum</i>	nodding trisetum	forest
	<i>Vulpia bromoides</i>	<i>barren fescue</i>	trails, meadows
	<i>Vulpia microstachys</i>	small fescue	forest, meadows
	<i>Vulpia myuros</i>	<i>foxtail fescue</i>	trails, meadows
	<b>DICOTS</b>		
<b>Aceraceae</b>	<i>Acer circinatum</i>	vine maple	forest, talus slopes
	<b><i>Acer glabrum</i></b>	<b>Douglas maple</b>	forest; locally rare
<b>Apiaceae</b>	<i>Conioselinum chinense</i>	Pacific hemlock-parsley	wet, talus slopes
	<i>Heracleum lanatum</i>	cow-parsnip	wet, talus slopes
	<i>Lomatium martindalei</i> var. <i>flavum</i>	few-fruited lomatium	rocky slopes
	<i>Oenanthe sarmentosa</i>	Pacific water-parsley	wet, talus slopes
	<i>Osmorhiza chilensis</i>	mountain sweet-cicely	talus slopes, forest, early, white to pinkish
	<i>Osmorhiza occidentalis</i>	western sweet-cicely	talus slopes, later, yellow flrs
	<i>Osmorhiza purpurea</i>	purple sweet-cicely	talus slopes, forest trail, pink to purple flrs
	<b><i>Periderida gairdneri</i> ssp. <i>borealis</i></b>	<b>Gairdner's yampah</b>	dry meadows, tops of peaks; locally rare
	<i>Sanicula crassicaulis</i>	Pacific sanicle	forest
	<i>Sanicula graveolens</i>	Sierra sanicle	forest
<b>Aquifoliaceae</b>	<i>Ilex aquifolium</i>	<i>English holly</i>	forest
<b>Araliaceae</b>	<i>Oplopanax horridus</i>	devil's club	dry forest
<b>Aristolochiaceae</b>	<i>Asarum caudatum</i>	wild ginger	forest
<b>Asteraceae</b>	<i>Achillea millefolium</i>	yarrow	meadow
	<i>Adenocaulon bicolor</i>	trail-plant	forest
	<i>Agoseris aurantica</i>	orange agoseris	meadows
	<i>Agoseris grandiflora</i>	large-flowered agoseris	meadows
	<i>Anaphalis margaritacea</i>	pearly everlasting	meadows, trail
	<i>Antennaria racemosa</i>	racemose pussytoes	rocky slopes, meadows
	<i>Arnica amplexicaulis</i>	streambank arnica	wet, riparian areas
	<i>Arnica latifolia</i>	mountain arnica	wet meadows
	<i>Artemisia douglasiana</i>	Douglas' sagebrush	meadows
	<i>Aster subspicatus</i>	Douglas' aster	wet, riparian areas
	<i>Bellis perennis</i>	<i>English daisy</i>	trails
	<i>Cirsium edule</i>	edible thistle	meadows
	<i>Crepis capillaris</i>	<i>smooth hawkbeard</i>	trails
	<i>Erechtites minima</i>	<i>toothed coast fireweed</i>	trails
	<b><i>Erigeron aliceae</i></b>	<b>Alice's fleabane</b>	high meadows, rocky slopes; western limit for montane species
	<b><i>Erigeron peregrinus</i> ssp. <i>peregrinus</i></b>	<b>wandering fleabane</b>	high meadows, rocky slopes; southern limit for northern species
	<i>Eriophyllum lanatum</i> var. <i>lanatum</i>	Oregon sunshine	rocky slopes
	<i>Gnaphalium purpureum</i>	purple cudweed	meadow
	<i>Hieraceum albiflorum</i>	white-flowered hawkweed	forest
	<i>Hypochaeris radicata</i>	<i>hairy cat's-ear</i>	trail, meadows
	<i>Lactuca muralis</i>	<i>wall lettuce</i>	trail
	<i>Lapsana communis</i>	<i>nipplewort</i>	trail
	<i>Leucanthemum vulgare</i>	<i>ox-eye daisy</i>	trail
	<i>Madia madioides</i>	woodland tarweed	forest
	<i>Petasites frigidus</i> var. <i>palmatus</i>	sweet coltsfoot	wet forest openings
	<b><i>Prenanthes alata</i></b>	<b>western rattlesnake-root</b>	forest; southern limit for northern species
	<b><i>Rudbeckia occidentalis</i></b>	<b>western rudbeckia</b>	montane, high bald; western limit for montane species
	<b><i>Senecio bolanderi</i> var. <i>harfordii</i></b>	<b>Bolander's groundsel</b>	dry open forest, ID by K Chambers, 2002; common in Gorge
	<i>Senecio jacobaea</i>	<i>tansy ragwort</i>	slopes, trails

## Row Codes

*Introduced species***Locally rare, endemic, or near limit of range**

? Species needs confirmation – recollect or photograph

<i>Family</i>	<i>Scientific Name</i>	<i>Common Name</i>	<i>Habitat</i>
	<b><i>Senecio macounii</i></b>	<b>Puget butterweed, Macoun's groundsel</b>	original listing, Detling 1954, as <i>S. fastigiatus</i> ; however may be <i>S. canus</i> ; this population is very woolly-hairy, and correct ID is not clear given geographic and phenologic overlap between these species.
	<i>Senecio sylvaticus</i>	wood groundsel	open forest
	<i>Senecio vulgare</i>	common groundsel	trails
	<i>Solidago canadensis</i> var. <i>salebrosa</i>	Canada goldenrod	forest openings, meadows
	<i>Sonchus asper</i>	<i>prickly sow-thistle</i>	trails
	<i>Sonchus oleraceus</i>	<i>common sow-thistle</i>	trails
	<i>Taraxacum officinale</i>	<i>common dandelion</i>	trails, meadows
<b><i>Berberidaceae</i></b>	<i>Achlys triphylla</i>	vanilla leaf	forest
	<i>Berberis nervosa</i>	Oregon grape	forest
	<i>Vancouveria hexandra</i>	inside-out flower	forest
<b><i>Betulaceae</i></b>	<i>Alnus rubra</i>	red alder	forest
	<i>Alnus sinuata</i>	Sitka alder	talus slopes
<b><i>Boraginaceae</i></b>	<i>Cryptantha intermedia</i> var. <i>grandiflora</i>	common cryptantha	meadows, rocky slopes
	<i>Mertensia platyphylla</i>	broad-leaved bluebells	riparian; in upper Fox Creek
<b><i>Brassicaceae</i></b>	<i>Arabis glabra</i>	smooth rockcress	rocky slopes
	<i>Arabis hirsuta</i> var. <i>eschscholtziana</i>	hairy rockcress	rocky slopes
	<i>Barbarea orthoceras</i>	American wintercress	alder glades
	<i>Cardamine angulata</i>	angled bittercress	wet rocky slopes, forest
	<i>Cardamine oligosperma</i>	little western bittercress	wet rocky slopes
	<b><i>Cardamine pattersonii</i></b>	<b>Saddle Mountain bittercress</b>	wet rocky slopes; regional endemic
	<b><i>Cardamine integrifolia</i></b>	<b>toothwort</b>	open damp forest; northern limit for southern species
	<i>Cardamine pulcherrima</i> var. <i>pulcherrima</i>	toothwort	open damp forest
	<i>Cardamine pulcherrima</i> var. <i>tenella</i>	toothwort	open damp forest; near northern limit for southern species
	<i>Draba verna</i>	spring whitlow-grass	meadows
	<i>Ersymium asperum</i>	rough wallflower	rocky slopes
<b><i>Campanulaceae</i></b>	<b><i>Campanula rotundifolia</i></b>	<b>common harebell</b>	rocky slopes; western limit for circumboreal montane species
	<i>Campanula scouleri</i>	Scouler's harebell	forest
<b><i>Caprifoliaceae</i></b>	<i>Linnaea borealis</i>	twinline	forest
	<i>Lonicera ciliosa</i>	orange honeysuckle	forest
	<i>Lonicera involucrata</i>	twinline	forest, wet thickets
	<i>Sambucus racemosa</i> var. <i>arborescens</i>	red elderberry	forest
	<i>Symphoricarpos albus</i>	common snowberry	talus slopes
	<i>Viburnum edule</i>	highbush cranberry	forests
<b><i>Caryophyllaceae</i></b>	<i>Cerastium arvense</i>	field chickweed	meadows, rocky slopes
	<i>Cerastium glomeratum</i>	<i>sticky chickweed</i>	meadows
	<i>Minuartia rubella</i>	boreal sandwort	rocky slopes
	<i>Minuartia stricta</i>	slender sandwort	meadows
	<i>Moehringia macrophylla</i>	bigleaf sandwort	forested rocky slopes
	<b><i>Silene douglasii</i> var. <i>douglasii</i></b>	<b>Douglas' silene</b>	meadows; western limit for montane species
	<i>Stellaria calycantha</i>	northern starwort	wet rocky slopes
	<i>Stellaria crispa</i>	crisp sandwort	wet rocky slopes
	<i>Stellaria media</i>	<i>chickweed</i>	meadows
<b><i>Crassulaceae</i></b>	<i>Sedum oreganum</i>	Oregon sedum	rocky slopes
	<i>Sedum spathulifolium</i>	broad-leaved sedum	rocky slopes

## Row Codes

*Introduced species***Locally rare, endemic, or near limit of range**

? Species needs confirmation – recollect or photograph

<i>Family</i>	<i>Scientific Name</i>	<i>Common Name</i>	<i>Habitat</i>
<i>Cucurbitaceae</i>	Marah oregana	bigroot	wet talus slopes, forest openings
<i>Ericaceae</i>	Chimophila menziesii	little pipsissiwa	forest
	<b>Cladothamnus pyroliflorus</b>	<b>copperbush</b>	talus slopes, high; southern limit for northern species; Ellottia pyroliflora, new name
	Gaultheria shallon	salal	forest
	Hypopitys monotropa	pinemap	forest
	Menziesia ferruginea	mock azalea	forest
	Moneses uniflora	woodnymph	forest
	Monotropa uniflora	Indian-pipe	forest
	Pyrola asarifolia	pink wintergreen	forest
	Pyrola picta	white-veined wintergreen	forest
	Vaccinium ovalifolium	oval-leaved blueberry	forest
	Vaccinium parvifolium	red huckleberry	forest
	Vaccinium scoparium	whortleberry	forest, wet ledges; Detling 1954
<i>Fabaceae</i>	Lathyrus nevadensis	Nuttall's peavine	meadows
	Lotus micranthus	small-flowered deervetch	meadows
	Lotus nevadensis	Nevada deervetch	meadows
	Trifolium longipes ssp. caurinum	long-stalked clover	meadows, rocky openings
	Trifolium microcephalum	small-headed clover	rocky openings, meadows
	Trifolium microdon	thimble clover	meadows
	Trifolium oliganthum	few-flowered clover	meadows
	Trifolium procumbens	hop clover	trails
	<i>Trifolium repens</i>	<i>white clover</i>	trails
	Trifolium tridentatum	tomcat clover	rocky slopes; alt name T. willdenovii
	Vicia americana var. truncata	American vetch	meadows
<i>Fumariaceae</i>	Corydalis scouleri	Scouler's corydalis	forest
	<b>Dicentra cucullaria</b>	<b>dutchman's breeches</b>	forest; western limit for montane species
	Dicentra formosa	bleeding heart	forest
<i>Grossulariaceae</i>	Ribes bracteosum	stink currant	forest
	Ribes lacustre	swamp gooseberry	forest
	Ribes laxiflorum	trailing black currant	forest
	Ribes sanguineum	red-flowering currant	forest
<i>Hydrangeaceae</i>	Philadelphus lewisii	mock orange	wet talus slopes
<i>Hydrophyllaceae</i>	Hydrophyllum tenuipes	slender-stem waterleaf	wet forest
	Nemophila parviflora	small-flowered nemophila	forest
	Phacelia nemoralis ssp. oregonensis	woodland phacelia	forest
	Romanzoffia sitchensis	Sitka mistmaiden	wet rocky slopes
<i>Hypericaceae</i>	<i>Hypericum perforatum</i>	<i>common St John's wort</i>	trails, meadows
<i>Lamiaceae</i>	Prunella vulgaris var. lanceolata	self-heal	meadows, trail
	Stachys mexicana	Mexican hedge-nettle	forest
<i>Malvaceae</i>	<b>Sidalcea hirtipes</b>	<b>hairy sidalcea</b>	talus slopes; regional endemic
<i>Onagraceae</i>	Circaea alpina	enchanter's nightshade	forest
	? Clarkia amoenea ssp. caurina	farewell-to-Spring	meadows – was this species mistaken for C. q.?
	? Clarkia quadrivulnera	small-flowered clarkia	meadows; Detling 1954
	Epilobium angustifolium	common fireweed	forest
	Epilobium brachycarpum	tall willow-herb	meadows
	Epilobium ciliatum ssp. watsonii	purple-leaved willow-herb	meadows
	<b>Epilobium glaberrimum</b>	<b>smooth willow-herb</b>	meadows; locally rare
	Epilobium lactiflorum	alpine willow-herb	meadows
	Epilobium minutum	small-flowered willow-herb	dry forest, white flowers

## Row Codes

Introduced species

Locally rare, endemic, or near limit of range

? Species needs confirmation – recollect or photograph

Family	Scientific Name	Common Name	Habitat
<i>Orobanchaceae</i>	Orobanche uniflora	naked broomrape	meadows, rocky slopes
<i>Oxalidaceae</i>	Oxalis oregana	Oregon oxalis	forests
<i>Plantaginaceae</i>	<i>Plantago lanceolata</i>	ribwort	trails, meadows
	<i>Plantago major</i>	common plantain	trails, meadows
<i>Polemoniaceae</i>	Collomia heterophylla	varied-leaf collomia	meadows, forest
	Phlox diffusa ssp. longistylis	spreading phlox	rocky slopes
	Phlox gracilis	pink phlox	rocky slopes, meadows; alt name <i>Microsteris gracilis</i>
<i>Polygonaceae</i>	Polygonum bistortoides	western bistort	meadows near top
	Polygonum douglasii	Douglas' knotweed	meadows, rocky slopes
	Polygonum nuttallii	Nuttall's knotweed	meadows
	<i>Rumex acetosella</i>	sorrel	trail, meadows
	<i>Rumex obtusifolius</i>	broad-leaved dock	trails, meadows
<i>Portulacaceae</i>	Claytonia exigua ssp. glauca	pale montia	meadows, rocky slopes
	Claytonia siberica	candyflower	forest
	<b><i>Lewisia columbiana</i> var. <i>rupicola</i></b>	<b>rosy lewisia</b>	rocky slopes; southern limit for northern species; variety is regional endemic
	Montia fontana	water chickweed	wet rocky slopes
	Montia parvifolia	little-leaf montia	meadows
<i>Primulaceae</i>	<b><i>Dodecatheon austrofrigidum</i></b>	<b>frigid shootingstar</b>	wet rocky slopes; regional endemic
	<b><i>Douglasia laevigata</i></b>	<b>smooth douglasia</b>	rocky slopes near top; southern limit for northern species
	Trientalis latifolia	western starflower	forests
<i>Ranunculaceae</i>	Actaea rubra	baneberry	forests
	Anemone deltoidea	three-leaf anemone	forests
	Anemone lyallii	Lyall's anemone	forests
	<b><i>Anemone multifida</i></b>	<b>Pacific anemone</b>	meadows; western limit for montane species
	Anemone oregana	Oregon anemone	meadows
	Aquilegia formosa	red columbine	forests, wet talus slopes
	Coptis laciniata	cutleaf goldthread	forests
	Delphinium menziesii	Menzie's larkspur	meadows
	<b><i>Delphinium oreganum</i> (=D.m.var.m.)</b>	<b>Oregon larkspur</b>	meadows near top; locally rare
	Delphinium trollifolium	Columbia larkspur	wet talus slopes, wet forest
	Ranunculus occidentalis	western buttercup	meadows
	<i>Ranunculus repens</i>	creeping buttercup	trails, wet meadows
	Ranunculus uncinatus var. parviflorus	little buttercup	forests, meadows
Thalictrum occidentale	western meadowrue	wet talus slopes, forests	
<i>Rhamnaceae</i>	Rhamnus purshiana	cascara	forest; <i>Frangula</i> is genus name in use elsewhere in N America
<i>Rosaceae</i>	Amelanchier alnifolia	serviceberry	wet talus slopes, forest
	Aruncus sylvestris	goatsbeard	forest
	<b><i>Crataegus douglasii</i></b>	<b>black hawthorne</b>	wet talus slopes, forest; locally rare
	Fragaria vesca	wood strawberry	forest
	Fragaria virginiana	broad-petal strawberry	meadows
	Geum macrophyllum	large-leaved avens	forest
	<b><i>Geum triflorum</i> var. <i>campanulatum</i></b>	<b>prairie smoke</b>	meadows, high; southern limit for northern species
	Holodiscus discolor	oceanspray	forest
	Physocarpus capitatus	ninebark	wet talus slopes, riparian
	Potentilla glandulosa	sticky cinquefoil	meadows, high
Potentilla gracilis	slender cinquefoil	forest, mid elev	
Prunus emarginata	bittercherry	forest	

## Row Codes

Introduced species

Locally rare, endemic, or near limit of range

? Species needs confirmation – recollect or photograph

Family	Scientific Name	Common Name	Habitat
	<i>Prunus virginiana</i> var. <i>demissa</i>	common chokecherry	forest
	<i>Rosa gymnocarpa</i>	baldhip rose	forest
	<i>Rosa nutkana</i>	Nootka rose	forest
	<i>Rubus laciniatus</i>	evergreen blackberry	forest
	<i>Rubus parviflorus</i>	thimbleberry	forest, wet talus slopes
	<i>Rubus pedatus</i>	five-leaved bramble	forest
	<i>Rubus spectabilis</i>	salmonberry	forest, wet talus slopes
	<i>Rubus ursinus</i>	dewberry	forest
	<i>Sorbus sitchensis</i>	Sitka mountain-ash	wet talus slopes
<b>Rubiaceae</b>	<i>Galium aparine</i>	cleavers	forest
	<i>Galium boreale</i>	northern bedstraw	riparian, wet slopes
	<i>Galium oregonum</i>	Oregon bedstraw	forest
	<i>Galium triflorum</i>	sweet-scented bedstraw	forest
<b>Salicaceae</b>	<i>Salix hookeriana</i>	Hooker's willow	riparian
	<i>Salix scouleriana</i>	Scouler's willow	riparian, forest
<b>Saxifragaceae</b>	<i>Boykinia occidentalis</i>	slender boykinia	riparian, wet rocky slopes
	<i>Chrysosplenium glechomaefolium</i>	Pacific water-carpet	riparian
	<i>Heuchera micrantha</i>	small-flowered alumroot	rocky slopes
	<i>Lithophragma parviflorum</i>	small-flowered prairie-star	meadows; locally rare
	<i>Saxifraga bronchialis</i> var. <i>vespertina</i>	spotted saxifrage	rocky slopes; western limit for montane species
	<i>Saxifraga caespitosa</i> var. <i>subgemmifera</i>	tufted saxifrage	rocky slopes
	<i>Saxifraga ferruginea</i>	rusty saxifrage	rocky slopes
	<i>Saxifraga hitchcockiana</i>	Hitchcock's saxifrage	rocky slopes; regional endemic
	<i>Saxifraga mertensiana</i>	Merten's saxifrage	wet rocky slopes
	<i>Saxifraga nuttallii</i>	Nuttall's saxifrage	wet rocky slopes
	<i>Saxifraga occidentalis</i> var. <i>dentata</i>	western saxifrage	rocky slopes
	<i>Saxifraga occidentalis</i> var. <i>rufidula</i>	western saxifrage	rocky slopes
	<i>Tellima grandiflora</i>	fringe cup	forests
	<i>Tiarella trifoliata</i>	foamflower	forests
	<i>Tolmiea menziesii</i>	pig-a-back plant	forests
<b>Scrophulariaceae</b>	<i>Castilleja hispida</i>	harsh paintbrush	meadows
	<i>Castilleja miniata</i>	common paintbrush	meadows
	<i>Collinsia parviflora</i>	small-flowered blue-eyed Mary	rocky slopes
	<i>Digitalis purpurea</i>	foxglove	open sites
	<i>Mimulus alsinoides</i>	chickweed monkeyflower	riparian, wet seeps
	<i>Mimulus dentatus</i>	tooth-leaved monkeyflower	riparian, wet seeps
	<i>Mimulus guttatus</i> var. <i>depauperatus</i>	yellow monkeyflower	riparian, wet seeps
	<i>Mimulus guttatus</i> var. <i>guttatus</i>	yellow monkeyflower	riparian, wet seeps
	<i>Nothochelone nemorosa</i>	woodland beardtongue	rocky slopes
	<i>Penstemon cardwellii</i>	Cardwell's penstemon	rocky slopes
	<i>Penstemon davidsonii</i> var. <i>menziesii</i>	Davidson's penstemon	Detling 1954
	<i>Penstemon ovatus</i>	broad-leaved penstemon	Detling 1954
	<i>Penstemon serrulatus</i>	coast penstemon	meadows
	<i>Rhinanthus crista-galli</i>	yellow rattle	meadows; southern limit for northern species
	<i>Scrophularia californica</i>	California figwort	forest openings
	<i>Synthyris schizantha</i>	fringed synthyris	thickets, talus slopes; southern limit for northern species
	<i>Triphysaria pusilla</i>	dwarf owl-clover	meadows

**Row Codes**

*Introduced species*

*Locally rare, endemic, or near limit of range*

? Species needs confirmation – recollect or photograph

<i>Family</i>	<i>Scientific Name</i>	<i>Common Name</i>	<i>Habitat</i>
	Veronica americana	American brooklime	riparian, wet seeps
	<i>Veronica arvensis</i>	<i>wall speedwell</i>	meadows
	Veronica serpyllifolia	thyme-leaved speedwell	riparian, wet seeps
<b>Valerianaceae</b>	Plectritis brachystemon	rosy plectritis	wet rocky slopes
	Plectritis congesta	sea blush	wet rocky slopes
	Valeriana scouleri	Scouler's valerian	meadows, rocky slopes
<b>Violaceae</b>	Viola adunca	early blue violet	rocky slopes
	Viola glabella	pioneer violet	forests
	Viola sempervirens	evergreen violet	forests