

Vascular Plants of the Columbia Coast

K Sayce, N Eid, support of 1,000s

last update 11-2004

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

<i>Family</i>	<i>Scientific Name</i>	<i>Common Name</i>	<i>Notes, name changes, etc.</i>	<i>Wetland Status</i>	<i>ESA or state-listed</i>
Ferns & Fern Allies					
Equisetaceae – Horsetail	<i>Equisetum arvense</i>	common horsetail		FAC	
	<i>Equisetum fluviatile</i>	water horsetail	expect hybrids	OBL	
	<i>Equisetum hyemale</i> var. <i>pseudohyemale</i>	common scouring-rush		FACW	
	<i>Equisetum palustre</i>	marsh horsetail	expect hybrids	FACW	
	<i>Equisetum telmateia</i> var. <i>braunii</i>	giant horsetail		FACW	
	<i>Equisetum variegatum</i>	northern scouring-rush	expect hybrids	FACW	
Isoetaceae – Quillwort	<i>Isoetes echinospora</i>	bristle-like quillwort		OBL	
Lycopodiaceae – Club-moss	<i>Lycopodiella inundata</i> var. <i>inundata</i>	bog club-moss	<i>Lycopodium inundatum</i>	OBL	OR-NHP-L2; WA-S
	<i>Lycopodium clavatum</i>	elk-moss		FAC	
Selaginellaceae – Lesser Club-moss	<i>Selaginella oregana</i>	Oregon selaginella			
	<i>Selaginella wallacei</i>	Wallace's selaginella			
Ophiglossaceae – Grape-fern	<i>Botrychium multifidum</i> var. <i>multifidum</i>	leathery grape-fern		FAC	
Polypodiaceae – Common Fern	<i>Adiantum aleuticum</i>	Alaska maidenhair	<i>Adiantum pedatum</i>	NI in PNW; FAC nat'l	
	<i>Aspidotis densa</i>	podfern			
	<i>Asplenium trichomanes</i>	maidenhair spleenwort		FACU	
	<i>Athyrium filix-femina</i>	lady fern		FAC+	
	<i>Blechnum spicant</i>	deer fern		FAC+	
	<i>Cryptogramma acrostichoides</i>	parsley fern			
	<i>Cystopteris fragilis</i>	brittle bladder-fern		FACU	
	<i>Dryopteris arguta</i>	coastal shield-fern			
	<i>Dryopteris expansa</i>	spreading wood-fern		FACW	
<i>Gymnocarpium dryopteris</i>	oak fern		FAC*		

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Pityrogramma triangularis</i> var. <i>triangularis</i>	gold-back fern			
	<i>Polypodium amorphum</i>	western polypody			
	<i>Polypodium glycyrrhiza</i>	western licorice fern	sweet licorice-flavored rhizome		
	<i>Polypodium hesperium</i>	licorice fern	inland from coast, rhizome varies		
	<i>Polypodium montense</i>	montane polypody	acid-tasting rhizome		
	<i>Polypodium scolieri</i>	leather-leaf polypody	seacliffs & salt spray zones		
	<i>Polystichum munitum</i>	sword fern		FACU	
	<i>Pteridium aquilinum</i>	bracken		FACU	
	<i>Woodwardia fimbriata</i>	<i>chain-fern</i>	<i>FNA-ought to be in region; look for</i>	<i>FACW</i>	
Salviniaceae – Water-fern	<i>Azolla mexicana</i>	Mexican water-fern		OBL	
Conifers					
Cupressaceae – Cypress	<i>Chamaecyparis nootkaensis</i>	<i>yellow cedar</i>	<i>old record for Saddle Mtn, confirm</i>	<i>FAC</i>	
	<i>Cupressus macrocarpa</i>	Monterey cypress	LBP, plt'd 1900; Clatsop Plains, plt'd 1930s; some naturalization		
	<i>Thuja plicata</i>	western red cedar		FAC	
Pinaceae – Pine	<i>Abies amabilis</i>	silver fir		FACU	
	<i>Abies grandis</i>	grand fir		FACU-	
	<i>Abies procera</i>	noble fir			
	<i>Picea sitchensis</i>	Sitka spruce		FAC	
	<i>Pinus contorta</i> ssp. <i>contorta</i>	shore pine		NI	
	<i>Pinus pinaster</i>	maritime pine	Clatsop Plains, plt'd 1930s		
	<i>Pinus radiata</i>	Monterey pine	Clatsop Plains, plt'd 1930s		
	<i>Pinus sylvestris</i>	Scotch pine	Clatsop Plains, plt'd 1930s		
	<i>Pseudotsuga menziesii</i>	Douglas-fir		FACU*	
	<i>Tsuga heterophylla</i>	western hemlock		FACU+	
Taxaceae – Yew	<i>Taxus brevifolia</i>	Pacific yew		FACU	
Taxodiaceae - Bald Cypress	<i>Taxodium distichum</i>	bald cypress	Clatsop Plains, plt'd 1930s		

Monocots

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Acoraceae –	<i>Acorus calamus</i>	sweet flag	Columbia River	OBL	
Alismataceae – Arrowhead	<i>Alisma triviale</i>	northern water-plantain	<i>A. plantago-aquatica</i> var. <i>americanum</i>	OBL	
	<i>Sagittaria cuneata</i>	northern arrowhead	<i>S. arifolia</i> , <i>S. latifolia</i> f. <i>latifolia</i>	OBL	
	<i>Sagittaria latifolia</i>	broadleaf arrowhead	<i>S. latifolia</i> - other vars, fs	OBL	
Araceae – Arum Lily	<i>Lysichiton americanus</i>	skunk cabbage		OBL	
	<i>Peltandra virginica</i>	tuckahoe, greenarrow arum	Columbia River	OBL	
Commelinaceae – Spiderwort	<i>Murdannia keisak</i>	spiderwort	<i>Aneilema keisak</i>	OBL	
Cyperaceae – Sedge	<i>Carex aperta</i>	Columbia sedge		FACW	
	<i>Carex aquatilis</i> var. <i>dives</i>	Sitka sedge	<i>C. sitchensis</i>	OBL	
	<i>Carex aurea</i>	golden sedge	montane open areas	FACW+	
	<i>Carex brevicaulis</i>	short-stemmed sedge	dunes, probably far more common than is realized		OR-NHP-L3
	<i>Carex californica</i>	California sedge		OBL	
	<i>Carex canescens</i>	grey sedge		FACW+	
	<i>Carex chordorrhiza</i>	creeping sedge		OBL	
	<i>Carex cusickii</i>	Cusick's sedge		OBL	
	<i>Carex densa</i>	dense sedge		OBL	WA-T
	<i>Carex deweyana</i>	Dewey's sedge	<i>C. leptopoda</i>	FACU*	
	<i>Carex echinata</i> ssp. <i>phyllomanica</i>	coast stellate sedge		OBL	
	<i>Carex feta</i>	green-sheathed sedge		FACW	
	<i>Carex hendersonii</i>	Henderson's sedge		FAC	
	<i>Carex interior</i>	inland sedge		FACW-	OR-NHP-L3
	<i>Carex interrupta</i>	green-fruited sedge		OBL	
	<i>Carex laeviculmis</i>	smooth-stemmed sedge		FACW	
	<i>Carex lenticularis</i> var. <i>limnophila</i>	lenticular sedge	<i>C. hindsii</i>	OBL	
	<i>Carex leptalea</i>	bristle-stalked sedge		OBL	OR-NHP-L3
	<i>Carex livida</i>	pale sedge		OBL	OR-NHP-L2
	<i>Carex lyngbyei</i>	Lyngbye's sedge		OBL	
	<i>Carex macrocephala</i>	big-headed sedge	open sand along coast	FAC-	OR-NHP-L4
	<i>Carex macrochaeta</i>	long-awned sedge	southern limit for northern species	FACW-	OR-NHP-L2; WA-T

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Carex mertensii</i>	Merten's sedge		FAC	
	<i>Carex obnupta</i>	slough sedge		OBL	
	<i>Carex ovalis</i>	eggbract sedge	<i>C. leporina</i> in H&C	FACW	
	<i>Carex pachystachya</i>	thick-headed sedge		FAC	
	<i>Carex pansa</i>	sanddune sedge		FAC*	
	<i>Carex pellita</i>	woolly sedge	<i>C. lanuginosa</i>	OBL	
	<i>Carex pennsylvanica</i> var. <i>vespertina</i>	long-stolon sedge			
	<i>Carex pluriflora</i>	several-flowered sedge		OBL	OR-NHP-L2
	<i>Carex retrorsa</i>	retorse sedge		FAC	OR-NHP-L2
	<i>Carex rossii</i>	Ross's sedge			
	<i>Carex scoparia</i>	pointed-broom sedge		FACW	
	<i>Carex stipata</i>	sawbeak sedge, owlfruit sedge		OBL	
	<i>Carex unilateralis</i>	one-sided sedge		FACW	
	<i>Carex utriculata</i>	beaked sedge		OBL	
	<i>Carex vesicaria</i> var. <i>major</i>	inflated sedge		OBL	
	<i>Carex viridula</i> f. <i>viridula</i>	green sedge		FACW+	
	<i>Dulichium arundinaceum</i>	dulichium		OBL	
	<i>Eleocharis acicularis</i>	needle spike-rush		OBL	
	<i>Eleocharis ovata</i>	ovoid spike-rush		OBL	
	<i>Eleocharis palustris</i>	common spike-rush	<i>E. macrostachya</i> in TJM	OBL	
	<i>Eleocharis parvula</i> var. <i>parvula</i>	small spike-rush		OBL	
	<i>Eriophorum chamissonis</i>	Chamisso's cotton-grass		OBL	OR-NHP-L2
	<i>Isolepis cernua</i>	low clubrush	<i>Scirpus cernuus</i>	OBL	
	<i>Schoenoplectus acutus</i> var. <i>occidentalis</i>	hardstem bulrush	<i>S. lacustris</i> ssp. <i>acutus</i> , <i>S. acutus</i> ssp. <i>occidentalis</i> , freshwater to brackish, high in intertidal	OBL	
	<i>Schoenoplectus tabernaemontani</i>	softstem bulrush	<i>S. validus</i> , <i>S. lacustris</i> ssp. <i>validus</i> , <i>S. tabernaemontani</i> ; brackish areas, low in intertidal	OBL	
	<i>Scirpus americanus</i>	three-square bulrush		OBL	
	<i>Scirpus cyperinus</i>	wool-grass	OR, locally rare	OBL	
	<i>Scirpus fluviatilis</i>	river bulrush		OBL	
	<i>Scirpus maritimus</i>	seacoast bulrush		OBL	
	<i>Scirpus microcarpus</i>	small-fruited bulrush		OBL	
	<i>Scirpus triqueter</i>	triangular bulrush		OBL	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)*

Rare, uncommon or endemic species (bold)

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Hydrocharitaceae – Waterweed	<i>Egeria densa</i>	Brasilian waterweed	<i>Elodea densa</i>	OBL	
	<i>Elodea canadensis</i>	Canadian waterweed		OBL	
	<i>Hydrilla verticillata</i>	hydrilla		OBL	
	<i>Vallisneria americana</i>	American wild-celery		OBL	
Iridaceae – Iris	<i>Iris pseudacorus</i>	yellow flag		OBL	
	<i>Iris tenax</i>	Oregon iris			
	<i>Crocosmia x crocosmiiflora</i>	montbretia			
	<i>Sisyrinchium californicum</i>	golden-eyed grass		FACW+	
	<i>Sisyrinchium idahoense</i> var. <i>idahoense</i>	blue-eyed grass	<i>S. angustifolium</i>	FACW	
	<i>Sisyrinchium littorale</i>	coastal blue-eyed grass	<i>S. angustifolium</i>	FACW*	
Juncaceae – Rush	<i>Juncus acuminatus</i>	tapered rush		OBL	
	<i>Juncus articulatus</i>	jointed rush		OBL	
	<i>Juncus arcticus</i> var. <i>balticus</i>	Baltic rush	FNA: <i>J. balticus</i>	FACW+	
	<i>Juncus bolanderi</i>	Bolander's rush		OBL	
	<i>Juncus brevicaudatus</i>	short-tailed rush		OBL	
	<i>Juncus bufonius</i>	toad rush		FACW	
	<i>Juncus bulbosus</i>	bulbous rush		OBL	
	<i>Juncus canadensis</i>	Canada rush		OBL	
	<i>Juncus covillei</i> var. <i>covillei</i>	Coville's rush	FNA: <i>J. falcatus</i> var. <i>paniculatus</i>	FACW	
	<i>Juncus effusus</i> var. <i>compactus</i>	soft rush		FACW	
	<i>Juncus effusus</i> var. <i>effusus</i>	common rush		FACW	
	<i>Juncus effusus</i> var. <i>gracilis</i>	soft rush		FACW	
	<i>Juncus effusus</i> var. <i>pacificus</i>	Pacific rush		FACW	
	<i>Juncus ensifolius</i> var. <i>ensifolius</i>	dagger-leaved rush		FACW	
	<i>Juncus falcatus</i> var. <i>falcatus</i>	sickle-leaved rush	TJM: <i>Juncus falcatus</i> var. <i>sitchensis</i>	FACW	
	<i>Juncus gerardii</i>	mud rush		FACW+	
	<i>Juncus lesueurii</i>	salt rush		FACW	
	<i>Juncus marginatus</i>	grass-leaf rush	Col R tidelands	FACW	
	<i>Juncus oxymersis</i>	pointed rush		FACW+	
	<i>Juncus pelocarpus</i>	brown-fruited rush		OBL	
<i>Juncus supiniiformis</i>	spreading rush		OBL		
<i>Juncus tenuis</i>	slender rush		FACW-		
<i>Luzula comosa</i>	field woodrush	<i>L. campestris</i> var. <i>congesta</i>	FAC*		

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Luzula divaricata</i>	spreading woodrush			
	<i>Luzula multiflora</i> ssp. <i>multiflora</i>	field woodrush	<i>L. campestris</i> var. <i>multiflora</i>		
	<i>Luzula parviflora</i>	small-flowered woodrush		FAC-	
Juncaginaceae – Arrow-grass	<i>Lilaea scilloides</i>	flowering quillwort		OBL	OR-NHP-L3
	<i>Triglochin concinna</i> var. <i>concinna</i>	graceful arrowgrass	FNA merges with <i>T. maritima</i>	OBL	
	<i>Triglochin maritimum</i>	seaside arrowgrass		OBL	
	<i>Triglochin palustris</i>	marsh arrowgrass	freshwater marshes	OBL	
	<i>Triglochin striata</i>	three-ribbed arrowgrass	marshes, Columbia River	OBL	OR-NHP-L3
Lemnaceae – Water-meal	<i>Lemna minor</i>	water lentil		OBL	
	<i>Lemna trisulca</i>			OBL	
	<i>Lemna turionifera</i>			OBL	
	<i>Spirodella polyrrhiza</i>	greater duckweed		OBL	
	<i>Spirodella punctata</i>	dotted water flaxseed		OBL	
	<i>Wolffia borealis</i>	<i>northern water-meal</i>	<i>W. brasiliensis</i> var. <i>borealis</i>	OBL	
	<i>Wolffia brasiliensis</i>	<i>Brazilian water-meal</i>		OBL	
	<i>Wolffia columbiana</i>	Columbia water-meal	<i>S. wolffia</i>	OBL	
	<i>Wolffiella gladiata</i>		<i>Wolffiella gladiata</i>	OBL	
Liliaceae – Lily	<i>Allium amplexens</i>	slender-leaf onion			
	<i>Allium cernuum</i>	nodding onion		NI	
	<i>Allium crenulatum</i>	Olympic onion			
	<i>Asparagus officinalis</i>	asparagus	Necanicum R salt marsh	FACU	
	<i>Brodiaea coronaria</i>	harvest brodiaea			
	<i>Brodiaea hyacinthina</i>	fool's onion			
	<i>Camassia leichtlinii</i> var. <i>suksdorfii</i>	giant camas		FACW-	
	<i>Camassia quamash</i>	common camas		FACW	
	<i>Clintonia uniflora</i>	queen's cup			
	<i>Erythronium grandiflorum</i> var. <i>pallidum</i>	glacier lily		FACU	
	<i>Erythronium oregonum</i>	white fawn lily			
	<i>Erythronium revolutum</i>	pink fawn lily		FAC+	OR-NHP-L4; WA-S
	<i>Fritillaria affinis</i>	checkered lily	<i>F. lanceolata, ambigua</i>		

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Hyacinthoides non-scripta</i> x <i>H. hispanica</i>	bluebells, scilla	<i>Endymion non-scriptus</i> x <i>E. hispanicus</i>		
	<i>Lilium columbianum</i>	Columbia lily			
	<i>Lloydia serotina</i>	alp lily		FACU	OR-NHP-L3
	<i>Maianthemum dilatatum</i>	false lily-of-the-valley		FAC	
	<i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i>	false solomon's seal	<i>Smilacina racemosa</i>	FAC-	
	<i>Maianthemum stellatum</i>	starry solomon-plume	<i>Smilacina stellata</i>	FAC-	
	<i>Narcissus pseudonarcissus</i>	daffodil			
	<i>Prosartes hookeri</i>	Hooker's fairbells	<i>Disporum hookeri</i>		
	<i>Prosartes smithii</i>	Smith's fairybells	<i>Disporum smithii</i>		
	<i>Scoliopus hallii</i>	fetid adder's tongue			
	<i>Stenanthium occidentale</i>	mountain bells		FAC*	
	<i>Streptopus amplexifolius</i> var. <i>americanus</i>	clasping-leaved twisted-stalk		FAC-	
	<i>Streptopus lanceolatus</i> var. <i>curvipes</i>	rosy twisted-stalk	<i>Streptopus roseus</i> var. <i>curvipes</i>	NI; FACU, FAC Nat'l	
	<i>Trillium ovatum</i>	western trillium		FACU*	
	<i>Veratrum californicum</i> var. <i>caudatum</i>	California false hellebore		OBL	
Najadaceae – Water-nymph	<i>Najas flexilis</i>	wavy water-nymph		OBL	
	<i>Najas guadalupensis</i> ssp. <i>guadalupensis</i>	water-nymph	Columbia River	OBL	OR-NHP-L3
Orchidaceae – Orchid	<i>Calypso bulbosa</i>	fairy slipper		FAC+	
	<i>Corallorhiza maculata</i>	spotted coral-root	<i>Corallorhiza maculata</i> ssp. <i>maculata</i>	UPL	
	<i>Corallorhiza mertensiana</i>	western coral-root	<i>Corallorhiza maculata</i> ssp. <i>mertensiana</i>		
	<i>Epipactis gigantea</i>	stream orchid	marshes, Columbia River	OBL	
	<i>Goodyera oblongifolia</i>	western rattlesnake-plantain		FACU-	
	<i>Listera caurina</i>	northwestern tway-blade		FACU	
	<i>Listera cordata</i>	heart-leaved tway-blade		FAC*	
	<i>Piperia elegans</i>	coast piperia	<i>Habenaria greenii</i> , <i>Piperia maritima</i>	NI	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Piperia unalascensis</i>	Alaska rein-orchid	<i>Habenaria u.</i> , in TJM <i>P. leucostachys</i>	NI	
	<i>Platanthera dilatata</i> var. <i>leucostachys</i>	white bog orchid	<i>Habenaria d.</i>	FACW+	
	<i>Platanthera stricta</i>	slender bog orchid	<i>Habenaria s.</i> , <i>Habenaria saccata</i>	FACW+	
	<i>Spiranthes romanzoffiana</i> var. <i>romanzoffiana</i>	lady's tresses		FACW	
Poaceae – Grass	<i>Aegiolops cylindrica</i>	goatgrass			
	<i>Agropyron caninum</i> var. <i>andinum</i>	bearded wheatgrass	hydroseed mixtures often use this, see especially along roadsides		
	<i>Agrostis alba</i>	redtop		FAW*	
	<i>Agrostis capillaris</i>	colonial bentgrass	<i>A. tenuis</i>	FAC	
	<i>Agrostis diegoensis</i>	thin bentgrass			
	<i>Agrostis exarata</i>	spike bentgrass	<i>A. exarata</i> ssp. <i>exarata</i> var. <i>exarata</i>	FACW	
	<i>Agrostis exarata</i> ssp. <i>exarata</i> var. <i>monolepis</i>	spike bentgrass		FACW	
	<i>Agrostis exarata</i> ssp. <i>minor</i>	spike bentgrass		FACW	
	<i>Agrostis pallens</i>	dune bentgrass		NI	
	<i>Agrostis scabra</i>	winter bentgrass	<i>A. hyemalis</i>	FAC	
	<i>Agrostis stolonifera</i>	spreading bentgrass	<i>A. alba</i> var. <i>alba</i>	FACW*	
	<i>Agrostis stolonifera</i> var. <i>palustris</i>	creeping bentgrass	<i>A. alba</i> var. <i>palustris</i>	FACW*	
	<i>Aira caryophyllea</i>	silver hairgrass	perennial, tufts, branched open spikes	NI	
	<i>Aira elegans</i>	elegant hairgrass	annual, branched spikes		
	<i>Aira praecox</i>	early hairgrass	annual, compact spikes		
	<i>Alopecurus aequalis</i> var. <i>aequalis</i>	short-awn foxtail	lakes, floating		
	<i>Alopecurus geniculatus</i>	water foxtail	lakes, floating; purple-tinged	OBL	
	<i>Alopecurus pratensis</i>	meadow foxtail		FACW	
	<i>Ammophila arenaria</i>	European beachgrass		FACU	
	<i>Ammophila breviligulata</i>	American beachgrass		UPL	
	<i>Anthoxanthum odoratum</i>	sweet vernal grass		FACU	
	<i>Arrhenatherum elatius</i>	tall oatgrass		UPL	
	<i>Avena fatua</i>	wild oat			
	<i>Avena sativa</i>	common oat			
	<i>Bechmannia syzigache</i>	slough-grass		OBL	
	<i>Bromus briziformis</i>	rattlesnake grass		NI	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Bromus carinatus</i>	California brome			
	<i>Bromus hordeaceus</i>	soft cheat	<i>Bromus mollis</i>	FACU	
	<i>Bromus japonicus</i>	hairy chess	<i>Bromus commutatus</i>	UPL	
	<i>Bromus pacificus</i>	Pacific brome			
	<i>Bromus rigidus</i> var. <i>gussonii</i>	ripgut			
	<i>Bromus sitchensis</i> var. <i>sitchensis</i>	Sitka brome, Alaska brome			
	<i>Bromus sterilis</i>	barren brome			
	<i>Bromus tectorum</i>	cheatgrass			
	<i>Bromus vulgaris</i>	Columbia brome		UPL	
	<i>Calamagrostis nutkaensis</i>	Nootka reedgrass		FACW	
	<i>Calamagrostis stricta</i> ssp. <i>inexpansa</i>	northern reedgrass	Includes <i>C. inexpansa</i> ssp. <i>barbulata</i>	FACW	
	<i>Cinna latifolia</i>	woodreed		FACW	
	<i>Cynosurus cristatus</i>	crested dogtail grass		UPL	
	<i>Cynosurus echinatus</i>	hedgehog dogtail grass			
	<i>Dactylis glomerata</i>	orchard grass		FACU	
	<i>Danthonia californica</i>	California oatgrass		FACU*	
	<i>Deschampsia caespitosa</i> var. <i>arctica</i>	tufted hairgrass		FACW	
	<i>Deschampsia elongata</i>	slender hairgrass		FACW-	
	<i>Dichanthelium accuminatum</i> var. <i>fasciculatum</i>	western witchgrass	<i>Panicum occidentale</i> , <i>P. acuminata</i>	FACW	
	<i>Digitaria sanguinalis</i>	hairy crabgrass		FACU	
	<i>Distichlis spicata</i>	salt grass		FAC+	
	<i>Echinochloa crus-galli</i>	large barnyard grass		FACW	
	<i>Elymus glaucus</i>	blue wildrye		FACU	
	<i>Elymus hirsutus</i>	hairy wildrye			
	<i>Elymus repens</i>	quack, quackgrass	<i>Agropyron repens</i> , <i>Eltrygia repens</i>	FAC-	
	<i>Elymus trachycaulis</i>	slender wheatgrass	<i>Agropyron pauciflorum</i> , <i>A. trachycaulum</i>	FAC	
	<i>Eltrygia pontica</i>	tall wheatgrass			
	<i>Festuca occidentalis</i>	western fescue			
	<i>Festuca pratensis</i>	meadow fescue	<i>F. elatior</i>	FACU+	
	<i>Festuca roemerii</i>		<i>F. rubra</i> in part	FAC	
	<i>Festuca rubra</i>	red fescue		FAC+	
	<i>Festuca subulata</i>	bearded fescue		FACU+	
	<i>Festuca subuliflora</i>	coast range fescue			
	<i>Glyceria borealis</i>	northern mannagrass		OBL	
	<i>Glyceria elata</i>	tall mannagrass		FACW+	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Glyceria grandis</i> var. <i>grandis</i>	reed mannagrass		OBL	
	<i>Glyceria leptostachya</i>	slender-spike mannagrass		OBL	
	<i>Glyceria occidentalis</i>	western mannagrass		OBL	
	<i>Glyceria striata</i> var. <i>striata</i>	fowl mannagrass		OBL	
	<i>Holcus lanatus</i>	common velvet grass		FAC	
	<i>Holcus mollis</i>	creeping velvet grass		FAC*	
	<i>Hordeum brachyantherum</i>	meadow barley		FACW-*	
	<i>Hordeum depressum</i>	dwarf barley		FACW-*	
	<i>Hordeum jubatum</i>	foxtail barley		FAC-	
	<i>Koeleria macrantha</i>	prairie Junegrass	<i>K. cristata</i> , <i>K. nitida</i>		
	<i>Leersia oryzoides</i>	rice cutgrass		OBL	
	<i>Leymus mollis</i> ssp. <i>mollis</i>	American dunegrass	<i>Elymus mollis</i>	FACU	
	<i>Lolium arundinaceum</i>	tall fescue	<i>Festuca arundinacea</i>	FAC-	
	<i>Lolium multiflorum</i>	Italian ryegrass			
	<i>Lolium perenne</i>	perennial ryegrass		FAC*	
	<i>Lolium rigidum</i>	annual ryegrass			
	<i>Melica hartfordii</i>	Hartford's melica			
	<i>Melica subulata</i> var. <i>subulata</i>	Alaska onion grass			
	<i>Panicum miliaceum</i>	broomcorn millet			
	<i>Phalaris arundinacea</i>	reed canary grass		FACW	
	<i>Phalaris canariensis</i>	canary grass		FACU	
	<i>Phleum alpinum</i>	mountain timothy		FAC+	
	<i>Phleum pratense</i>	common timothy		FAC-	
	<i>Phragmites australis</i>	common reed	<i>P. communis</i>	FACW+	
	<i>Pleuropogon refractus</i>	nodding semaphore grass		OBL	
	<i>Poa annua</i>	annual bluegrass		FAC	
	<i>Poa bulbosa</i>	bulbous bluegrass			
	<i>Poa compressa</i>	Canadian bluegrass		FACU+	
	<i>Poa confinis</i>	coastline bluegrass		NI	
	<i>Poa douglasii</i> ssp. <i>macrantha</i>	seashore bluegrass		FACU-	
	<i>Poa laxiflora</i>	loose-flowered bluegrass	southern limit for northern species		OR-NHP-L4
	<i>Poa marcida</i>	withered bluegrass	regional species	FACW	OR-NHP-L4
	<i>Poa nervosa</i> var. <i>nervosa</i>	Wheeler's bluegrass			WA-S
	<i>Poa palustris</i>	fowl bluegrass		FAC	
	<i>Poa pratensis</i> ssp. <i>pratensis</i>	Kentucky bluegrass		FAC	
	<i>Poa secunda</i>	Sandberg's bluegrass	<i>P. sandbergii</i> , <i>P. gracillima</i>	FACU	
	<i>Poa trivialis</i>	roughstalk bluegrass		FACW	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Poa unilateralis</i>	oceanbluff bluegrass	<i>P. pachypolis</i> ; northern limit for southern species	FACU-	OR-NHP-L2; WA-T
	<i>Polypogon monspeliensis</i>	rabbitfoot polypogon	dredge spoils, along Columbia River	FACW	
	<i>Puccinellia distans</i>	European alkali grass		FACW+	
?	<i>Puccinellia martima</i>	European alkali grass	Check in flower	OBL	
	<i>Puccinellia nutkaensis</i>	Alaska alkali grass		OBL	
	<i>Puccinellia pallida</i> var. <i>pauciflora</i>	weak alkali grass	<i>Torreychloa pauciflora</i>	OBL	
	<i>Puccinellia pumila</i>	dwarf alkali grass		FACW+	
	<i>Setaria glauca</i>	yellow bristle grass	<i>S. pumila</i>	NI	
	<i>Sielingia decumbens</i>	heathgrass			
	<i>Spartina alterniflora</i>	smooth cordgrass		OBL	
	<i>Triplasis purpurea</i>	purple sandgrass			
	<i>Trisetum canescens</i>	tall trisetum			
	<i>Trisetum cernuum</i>	nodding trisetum		FACU	
	<i>Vulpia bromoides</i>	barren fescue	<i>Festuca bromoides</i>	NI	
	<i>Vulpia microstachys</i>	small fescue	<i>Festuca microstachys</i>		
	<i>Vulpia myuros</i> var. <i>hirsutea</i>	foxtail fescue	<i>Festuca myuros</i> var. <i>hirsutea</i>	FACU*	
	<i>Vulpia myuros</i> var. <i>myuros</i>	foxtail fescue	<i>Festuca myuros</i> var. <i>myuros</i>	FACU*	
	<i>Zizania palustris</i> var. <i>interior</i>	wild rice	<i>Z. aquatica</i>	OBL	
Pontederiaceae – Star-grass	<i>Heteranthia dubia</i>	water star-grass		OBL	
Potamogetonaceae – Pondweed	<i>Potamogeton amplifolius</i>	broad-leaved pondweed		OBL	
	<i>Potamogeton crispus</i>	curled pondweed		OBL	
	<i>Potamogeton epihydrous</i>	ribbon-leaf pondweed		OBL	
	<i>Potamogeton foliosus</i>	leafy pondweed	2 ssp in area	OBL	
	<i>Potamogeton gramineus</i>	grass-leaved pondweed	hybrids known	OBL	
	<i>Potamogeton natans</i>	floating-leaved pondweed	hybrids known	OBL	
	<i>Potamogeton nodosus</i>	long-leaf pondweed		OBL	
	<i>Potamogeton pectinatus</i>	fennel-leaved pondweed	<i>Stuckenia pectinata</i>	OBL	
	<i>Potamogeton pusillus</i> ssp. <i>tenuissimus</i>		several ssp in area; <i>P. berchtoldii</i>	OBL	
	<i>Potamogeton richardsonii</i>	Richardson's pondweed	<i>P. perfoliatus</i> ssp. <i>richardsonii</i>	OBL	
	<i>Potamogeton robbinsii</i>	Robbins' pondweed		OBL	
	<i>Potamogeton zosteriformis</i>	flat-stemmed pondweed		OBL	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Ruppiaceae – Ditch-grass	<i>Ruppia maritima</i>	ditch-grass		OBL	
Scheuchzeriaceae	<i>Scheuchzeria palustris</i> var. <i>americana</i>	scheuchzeria		OBL	
Sparganiaceae – Bur-reed	<i>Sparganium angustifolium</i>	narrow-leaf bur-reed	<i>S. emersum</i>	OBL	
	<i>Sparganium emersum</i> ssp. <i>emersum</i>	simple-stem bur-reed		OBL	
	<i>Sparganium eurycarpum</i>	broad-fruited bur-reed		OBL	
	<i>Sparganium minimum</i>	<i>small bur-reed</i>	<i>ACE list, 1976, confirm!</i>	OBL	
Typhaceae – Cattail	<i>Typha angustifolia</i>	narrowleaf cattail		OBL	
	<i>Typha latifolia</i>	broadleaf cattail		OBL	
Zannichelliaceae – Pondweed	<i>Zannichellia palustris</i>	horned pondweed		OBL	
Zosteraceae – Eelgrass	<i>Phyllospadix scouleri</i>	Scouler's surfgrass		OBL	
	<i>Zostera japonica</i>	dwarf eelgrass	<i>Z. nana</i>	OBL	
	<i>Zostera marina</i>	eelgrass		OBL	
Dicots					
Aceraceae – Maple	<i>Acer circinatum</i>	vine maple		FAC-	
	<i>Acer glabrum</i> var. <i>douglasii</i>	Douglas' maple	Rare in Coast Range, more common in Cascades and east	FACU*	
	<i>Acer macrophyllum</i>	big-leaf maple		FACU	
	<i>Acer negundo</i>	box-elder		FAC+	
	<i>Acer pseudoplatanus</i>	sycamore maple		FACU-	
	<i>Acer saccharum</i>	sugar maple		FACU-	
Amaranthaceae – Amaranth	<i>Amaranthus powellii</i>	Powell's amaranth			
Anacardiaceae – Sumac	<i>Rhus diversiloba</i>	poison oak			
Apiaceae – Carrot	<i>Angelica genuflexa</i>	kneeling angelica		FACW	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Angelica hendersonii</i>	Henderson's angelica			
	<i>Angelica lucida</i>	sea-watch		FAC+	
	<i>Anthriscus sylvestris</i>	wild chervil			
	<i>Berula erecta</i> var. <i>incisa</i>	cut-leaved water-parsnip		OBL	
	<i>Cicuta douglasii</i>	Douglas' waterhemlock, Western waterhemlock		OBL	
	<i>Conioselinium gmelinii</i>	Pacific hemlock-parsley	<i>C. chinese</i> , <i>C. pacificum</i>	FACW	
	<i>Conium maculatum</i>	poison-hemlock		FAC+	
	<i>Daucus carota</i>	Queen Anne's lace			
	<i>Daucus pusillus</i>	American carrot			
	<i>Glehnia littoralis</i> ssp. <i>leiocarpa</i>	beach-carrot			
	<i>Heracleum mantegazzanum</i>	giant hogweed			
	<i>Heracleum maximum</i>	cow-parsnip	<i>Heracleum lanatum</i>	FAC+	
	<i>Hydrocotyle ranunculooides</i> f. <i>ranunculooides</i>	floating marsh pennywort	Locally very common in lowland freshwater wetlands	OBL	WA-S
	<i>Ligusticum apiifolium</i>	parsley-leaved lovage			
	<i>Lilaeopsis occidentalis</i>	lilaeopsis		OBL	
	<i>Lomatium dissectum</i> var. <i>dissectum</i>	fern-leaved lomatium			
	<i>Lomatium dissectum</i> var. <i>eatonii</i>	fern-leaved lomatium			
	<i>Lomatium dissectum</i> var. <i>multifidum</i>	fern-leaved lomatium			
	<i>Lomatium martindalei</i> var. <i>flavum</i>	Martindale's lomatium		NI	
	<i>Lomatium utriculatum</i>	Pomo-celery lomatium			
	<i>Oenanthe sarmentosa</i>	Pacific water-parsley		OBL	
	<i>Osmorhiza chilensis</i>	mountain sweet-cicely	early, whitish-pink flrs		
	<i>Osmorhiza occidentalis</i>	western sweet-cicely	late, yellow flrs, tall		
	<i>Osmorhiza purpurea</i>	purple sweet-cicely	pink-purple flrs	FAC+	
	<i>Perideridia gairdnerii</i> ssp. <i>borealis</i>	Gairdner's yampah		FAC*	
	<i>Sanicula arctopoides</i>	footsteps-of-spring	annual, seacliff meadows, old dunes		WA-E
	<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific sanicle			
	<i>Sanicula crassicaulis</i> var. <i>tripartita</i>	Pacific sanicle			
	<i>Sanicula graveolens</i>	Sierra sanicle			
	<i>Sium suave</i>	hemlock waterparsnip		OBL	
Apocynaceae – Dogbane	<i>Apocynum androsaemifolium</i>	bitter dogbane		NI	
	<i>Vinca minor</i>	greater periwinkle			

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed	
Aquifoliaceae – Holly	<i>Ilex aquifolium</i>	English holly				
Araliaceae – Ginseng	<i>Hedera helix</i>	English ivy	One small clump of highly dissected leaves, in pines near Ocean Park			
	<i>Hedera hibernica</i>	Irish ivy	Common escaped ivy of region; on trees, cliffs, bldgs			
	<i>Oplopanax horridum</i>	devil's club		FAC+		
Aristolochiaceae – Birthwort	<i>Asarum caudatum</i>	wild ginger		FACU*		
Asteraceae – Daisy	<i>Achillea millefolium</i>	common yarrow		FACU		
	<i>Adenocaulon bicolor</i>	trail-plant				
	<i>Agoseris apargioides</i> var. <i>eastwoodii</i>	seaside agoseris	<i>Agoseris apargioides</i> var. <i>maritima</i>			
	<i>Agoseris aurantica</i>	orange agoseris		FACU		
	<i>Agoseris grandiflora</i>	large-flowered agoseris				
	<i>Ambrosia chamissonis</i>	silver bur-sage	<i>Franseria chamissonis</i>			
	<i>Anaphalis margaritacea</i>	pearly-everlasting				
	<i>Antennaria racemosa</i>	raceme pussytoes				
	<i>Anthemis arvensis</i>	field chamomile				
	<i>Anthemis cotula</i>	mayweed chamomile		FACU		
	<i>Arctium minus</i>	common burdock				
	<i>Arnica amplexicaulis</i>	streambank arnica		FACW		
	<i>Arnica latifolia</i> var. <i>latifolia</i>	mountain arnica		FAC-		
	<i>Artemisia douglasiana</i>	Douglas' sagebrush		FACW		
	<i>Artemisia lindleyana</i>	Columbia river mugwort		OBL		
	<i>Artemisia suksdorfii</i>	coastal mugwort		NI		
	<i>Aster subspicatus</i>	Douglas aster				
	Baccharis pilularis	coyote-brush	northern limit for southern species			WA-T
	<i>Balsamorhiza deltoidea</i>	Puget balsam				
	<i>Bellis perennis</i>	English daisy				
<i>Bidens cernua</i>	nodding bur-marigold		FACW+			
<i>Bidens frondosa</i>	sticktight	<i>B. tripartita</i>	FACW+			
<i>Boltonia asteroides</i>	boltonia		OBL			
<i>Carduus nutans</i>	musk thistle					
<i>Centaurea cyanus</i>	bachelor's button					

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Centaurea diffusa</i>	tumble knapweed			
	<i>Centaurea maculosa</i>	spotted knapweed			
	<i>Chamomila suaveolens</i>	pineapple weed	<i>Matricaria matricariodes</i>		
	<i>Cirsium arvense</i>	Canada thistle		FAC-	
	<i>Cirsium brevistylum</i>	short-styled thistle			
	<i>Cirsium edule</i>	edible thistle		FAC	
	<i>Cirsium vulgare</i>	bull thistle		FACU	
	<i>Conzya canadensis</i>	horseweed		FACU	
	<i>Coreopsis atkinsoniana</i>	Columbia coreopsis			
	<i>Cotula coronopifolia</i>	brass buttons		FACW+	
	<i>Crepis capillaris</i>	smooth hawkbeard		FACU*	
	<i>Crocidium multicaule</i>	spring gold			
	<i>Erechtites glomerata</i>	cut-leaved coast fireweed	<i>E. arguta</i>		
	<i>Erechtites minima</i>	toothed coast fireweed	<i>E. prenanthoides</i>		
	<i>Erigeron aliceae</i>	Alice's fleabane	Rare in Coast Range, more common eastward		WA-S
	<i>Erigeron annuus</i>	annual fleabane		FACU+	
	<i>Erigeron glaucus</i>	beach fleabane	northern limit for southern species: Tillamook Head	FACU-	
	<i>Erigeron oreganus</i>	gorge daisy	More common eastward		OR-NHP-L1, SC; WA-T
	<i>Erigeron peregrinus</i> ssp. <i>perigrinus</i> var. <i>perigrinus</i>	wandering daisy	Southern limit for northern species	NI	OR-NHP-L2
	<i>Erigeron philadelphicus</i>	Philadelphia daisy		FACU	
	<i>Eriophyllum lanatum</i> var. <i>achillaeoides</i>	woolly sunflower			
	<i>Galinsoga quadriradiata</i>	quickweed	<i>G. cilata</i>		
	<i>Gnaphalium microcephalum</i>	slender cudweed			
	<i>Gnaphalium palustre</i>	lowland cudweed		FAC+	
	<i>Gnaphalium purpureum</i>	purple cudweed			
	<i>Gnaphalium uliginosum</i>	marsh cudweed		FAC+	
	<i>Grindelia integrifolia</i> var. <i>macrophylla</i>	Puget Sound gumweed	<i>Grindelia stricta</i> var. <i>stricta</i>	NI	
	<i>Helenium autumnale</i> var. <i>grandiflorum</i>	sneezeweed		FACW	
	<i>Hieraceum albiflorum</i>	white-flowered hieraceum			
	<i>Hieraceum auranticum</i>	orange hawkweed			

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Hieraceum vulgatum</i>	common hieraceum			
	<i>Hypochaeris glabra</i>	smooth cat's ear			
	<i>Hypochaeris radicata</i>	hairy cat's ear		FACU	
	<i>Jaumea carnosa</i>	fleshy jaumea		OBL	
	<i>Lactuca biennis</i>	tall blue lettuce		FAC	
	<i>Lactuca muralis</i>	wall lettuce			
	<i>Lactuca serriola</i> var. <i>integrata</i>	prickly lettuce		FACU	
	<i>Lapsana communis</i>	nipplewort		NI	
	<i>Lasthenia maritima</i>	goldfields	<i>Baeria maritima</i> , <i>L. minor</i> var. <i>maritima</i> ; extirpated?	FACW	
	<i>Leontodon taraxacoides</i> ssp. <i>taraxacoides</i>	hairy hawkbit	<i>L. nudicaulis</i> ssp. <i>taraxacoides</i>	UPL	
	<i>Leucanthemum vulgare</i>	ox-eye daisy	<i>Chrysanthemum leucanthemum</i>	NI	
	<i>Luina hypoleuca</i>	silverback luina			
	<i>Madia glomerata</i>	cluster tarweed		FACU+	
	<i>Madia gracilis</i>	slender tarweed			
	<i>Madia radioides</i>	woodland tarweed			
	<i>Madia sativa</i>	coast tarweed			
	<i>Microseris bigelovii</i>	coast microseris	Extirpated?		
	<i>Petasites frigidus</i> var. <i>palmatum</i>	sweet coltsfoot		FAC	
	<i>Prenanthes alata</i>	western rattlesnake-root	Southern limit for northern species		
	<i>Pseudognaphalium stramineum</i>	cotton-batting plant	<i>Gnaphalium chilense</i>	FAC+	
	<i>Psilocarphus tenellus</i>	slender woolly-head			
	<i>Rudbeckia occidentalis</i>	western rudbeckia	Rare in Coast Range, more common eastward	FAC-	
	<i>Senecio bolanderi</i>	Bolander's groundsel	Rare in Coast Range, more common eastward		
	<i>Senecio canum</i>	<i>woolly groundsel</i>	<i>Prob. mis-id'd as S. macounii; while range fits, morphology does not; recheck Clatsop sites</i>		
	<i>Senecio flettii</i>	Flett's groundsel	Southern limit for northern species		OR-NHP-L2
	<i>Senecio jacobaea</i>	tansy ragwort, stinking willie		FACU*	
	<i>Senecio macounii</i>	Puget butterweed	Very uncommon locally; recheck Clatsop sites, range does not really fit but morphology does	FACU*	
	<i>Senecio pseudoureus</i>	streambank butterweed		FACW	
	<i>Senecio sylvaticus</i>	wood groundsel			
	<i>Senecio triangularis</i> var. <i>triangularis</i>	arrowleaf groundsel		FACW+	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Senecio vulgaris</i>	common groundsel		FACU	
	<i>Solidago canadensis</i> var. <i>salebrosa</i>	Canada goldenrod		FAC-	
	<i>Solidago gigantea</i>	smooth goldenrod		FACW-	
	<i>Solidago occidentalis</i>	western goldenrod			
	<i>Solidago simplex</i> var. <i>spathulata</i>	dune goldenrod		FACU	
	<i>Soliva sessilis</i>	field burrweed			
	<i>Sonchus arvensis</i>	field sow-thistle		FACU+	
	<i>Sonchus asper</i>	prickly sow-thistle		FAC-	
	<i>Sonchus oleraceus</i>	common sow-thistle		UPL	
	<i>Symphotrichum subspicatum</i> var. <i>subspicatum</i>	Douglas' aster	<i>Aster subspicatus</i>	FACW	
	<i>Tanacetum camphoratum</i>	dune tansy	<i>T. douglasii</i>		
	<i>Tanacetum vulgare</i>	common tansy		NI	
	<i>Taraxacum officinale</i>	common dandelion	<i>T. laevigatum</i>	FACU	
	<i>Tragopogon dubius</i>	yellow salsify			
	<i>Xanthium strumarium</i> var. <i>canadense</i>	common cocklebur		FAC	
Balsaminaceae – Balsam	<i>Impatiens capensis</i>	spotted touch-me-not	orange flower, spurs + many spots	FACW	
	<i>Impatiens ecalcarata</i>	spurless touch-me-not	no spurs + no spots	FACW	
	<i>Impatiens capensis</i> x <i>ecalcarata</i> 1	hybrid touch-me-not	spurs + no spots	FACW	
	<i>Impatiens capensis</i> x <i>ecalcarata</i> 2	hybrid touch-me-not	no spurs + some spots	FACW	
	<i>Impatiens glandulifera</i>	policeman's helmet	pink flower, short spur, red spots	FACW*	
	<i>Impatiens noli-tangere</i>	yellow touch-me-not	yellow flower, spurs, spots lower lip only	FACW	
Berberidaceae – Barberrv	<i>Achlys triphylla</i>	vanilla leaf			
	<i>Berberis aquifolium</i>	shining Oregon-grape			
	<i>Berberis nervosa</i>	dull Oregon-grape			
	<i>Vancouveria hexandra</i>	inside-out flower			
Betulaceae – Birch	<i>Alnus rubra</i>	red alder	<i>A. oregana</i>	FAC	
	<i>Alnus viridis</i> ssp. <i>sinuata</i>	Sitka alder	<i>A. sinuata</i>	FACW	
	<i>Betula pendula</i>	European white birch			
	<i>Betula populifolia</i>	gray birch		FAC	
	<i>Corylus cornuta</i> var. <i>californica</i>	hazelnut		NI	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Boraginaceae – Borage	<i>Cryptantha intermedia</i> var. <i>grandiflora</i>	common cryptantha			
	<i>Cynoglossum grande</i>	Pacific hound's tongue			
	<i>Cynoglossum officinale</i>	common hound's tongue		FACU*	
	<i>Echium vulgare</i>	viper's-bugloss	along Columbia River		
	<i>Mertensia platyphylla</i>	broad-leaved bluebells			
	<i>Myosotis arvensis</i>	field forget-me-not		FAC	
	<i>Myosotis discolor</i>	yellow and blue forget-me-not		FACW	
	<i>Myosotis laxa</i>	small-flowered forget-me-not		OBL	
	<i>Myosotis scorpioides</i>	common forget-me-not		FACW	
	<i>Myosotis sylvatica</i>	wood forget-me-not		FAC	
	<i>Plagiobothrys figuratus</i>	fragrant popcorn flower		FACW	
	<i>Symphytum asperum</i>	rough comfrey		NI	
	<i>Symphytum officinale</i>	common comfrey			
Brassicaceae – Mustard	<i>Arabidopsis thaliana</i>	thale cress			
	<i>Arabis glabra</i>	tower mustard			
	<i>Arabis hirsuta</i> var. <i>eschschooltziana</i>	hairy rockcress		FACU	
	<i>Athysanus pusillus</i>	sandweed			
	<i>Barbarea orthoceras</i>	American wintercress		FACW+	
	<i>Barbarea vulgaris</i>	yellow rocket		FAC-	
	<i>Brassica rapa</i>	field mustard	<i>B. campestris</i>	—	
	<i>Cakile edentula</i>	American searocket		FACU	
	<i>Cakile maritima</i>	European searocket		FACU	
	<i>Capsella bursa-pastoris</i>	shepherd's purse		FAC-	
	<i>Cardamine angulata</i>	angled wintercress		FACW	
	<i>Cardamine brewerii</i>	Brewer's bittercress		FACW+	
	<i>Cardamine californica</i> var. <i>sinuata</i>	milkmaids; toothwort	<i>Cardamine integrifolia</i> var. <i>sinuata</i>	FACW	
	<i>Cardamine occidentalis</i>	western bittercress		FACW+	
	<i>Cardamine oligosperma</i> var. <i>oligosperma</i>	little western bittercress		FAC	
	<i>Cardamine pattersonii</i>	Saddle Mountain bittercress	Regional endemic		OR-NHP-L1, SC
	<i>Cardamine pulcherrima</i> var. <i>pulcherrima</i>	slender toothwort			

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Cardamine pulcherrima</i> var. <i>tenella</i>	slender toothwort	Northern limit for southern species: Saddle Mtn		
	<i>Draba verna</i> var. <i>boerhavii</i>	spring whitlow-grass			
	<i>Erysimum asperum</i>	rough wallflower			
	<i>Hesperis matronalis</i>	dame's violet, dame's-rocket		NI	
	<i>Lepidium campestre</i>	field pepperweed			
	<i>Lepidium perfoliatum</i>	clasping pepperweed		FACU+	
	<i>Lunaria annua</i>	money-plant			
	<i>Raphanus raphanistrum</i>	jointed charlock			
	<i>Raphanus sativus</i>	wild radish		NI	
	<i>Rorippa armoracia</i>	horseradish			
	<i>Rorippa columbicae</i>	Columbia yellow cress	More common to east on Columbia River	OBL	OR-NHP-L1, Candidate
	<i>Rorippa curvisiliqua</i> var. <i>lyrata</i>	western yellow cress		OBL	
	<i>Rorippa palustris</i> ssp. <i>fernaldiana</i>	Fernald's yellowcress	<i>Rorippa islandica</i> var. <i>glabrata</i>	OBL	
	<i>Rorippa palustris</i> ssp. <i>occidentalis</i>	western bog yellowcress	<i>Rorippa islandica</i> var. <i>occidentale</i>	OBL	
	<i>Rorippa islandica</i> var. <i>glabrata</i>	marsh yellow cress			
	? <i>Rorippa islandica</i> var. <i>islandica</i>	marsh yellow cress	<i>Check taxonomy in TUM, FNA</i>	OBL	
	<i>Rorippa nasturtium-aquaticum</i>	watercress		OBL	
	<i>Sisymbrium altissimum</i>	Joe Hill mustard		FACU-	
	<i>Sisymbrium officinale</i>	hedge mustard		—	
	<i>Teesdalia nudicaulis</i>	shepherd's cress	<i>T. coronopifolia</i>		
	<i>Thlaspi arvense</i>	field pennycress		NI	
Buddlejaceae – Buddleja	<i>Buddleja davidii</i>	butterfly-bush			
Cabombaceae – Water Shield	<i>Brasenia schreberi</i>	watershield		OBL	
	<i>Cabomba caroliniana</i>	fanwort		OBL	
Callitrichaceae – Water Starwort	<i>Callitriche hermaphroditica</i>	autumnal water starwort		OBL	
	<i>Callitriche heterophylla</i> var. <i>bolanderi</i>	different-leaved water starwort		OBL	
	<i>Callitriche stagnalis</i>	pond water starwort		OBL	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Campanulaceae – Harebell	<i>Campanula rotundifolia</i>	common harebell		FACU+	
	<i>Campanula scouleri</i>	Scouler's harebell		NI	
	<i>Triodanis perfoliata</i>	perfoliate triodanis		UPL	
Caprifoliaceae – Honeysuckle	<i>Linnaea borealis</i> var. <i>longiflora</i>	twinflower		FACU-	
	<i>Lonicera ciliosa</i>	orange honeysuckle			
	<i>Lonicera hispidula</i>	hairy honeysuckle		NI	
	<i>Lonicera involucrata</i>	black twinberry		FAC+	
	<i>Lonicera periclymenum</i>	honeysuckle	<i>L. x italica, etrusca</i> on old lists		
	<i>Sambucus cerulea</i> var. <i>cerulea</i>	blue elderberry		FACU	
	<i>Sambucus racemosa</i> var. <i>racemosa</i>	red elderberry	<i>Sambucus racemosa</i> ssp. <i>pubens</i> var. <i>arborescens</i> ; occasional orange berry form	FACU	
	<i>Symphoricarpos albus</i> var. <i>laevigatus</i>	common snowberry		FACU	
<i>Symphoricarpos mollis</i> var. <i>hesperius</i>	creeping snowberry				
<i>Viburnum ellipticum</i>	oval-leaved viburnum				
Caryophyllaceae – Pink	<i>Arenaria serpyllifolia</i>	thyme-leaved sandwort		FACU	
	<i>Cardionema ramosissimum</i>	sandbur			
	<i>Cerastium arvense</i> var. <i>arvense</i>	field chickweed, field mouse-ear		FACU	
	<i>Cerastium fontanum</i> ssp. <i>vulgare</i>	common chickweed	<i>C. vulgatum</i>	FACU	
	<i>Cerastium glomeratum</i>	sticky chickweed		UPL	
	<i>Dianthus armeria</i>	grass pink		NI	
	<i>Honkenya peploides</i>	sea purslane		FACU	
	<i>Lychnis coronaria</i>	rose campion			
	<i>Minuartia rubella</i>	boreal sandwort	<i>Arenaria rubella</i>	FACU-	
	<i>Minuartia stricta</i>	slender sandwort	<i>Arenaria stricta</i>	FAC*	
	<i>Moehringia macrophylla</i>	bigleaf sandwort	<i>Arenaria macrophylla</i>		
	<i>Sagina decumbens</i> ssp. <i>occidentalis</i>	western pearlwort		FACU+	
	<i>Sagina maxima</i> ssp. <i>crassicaullis</i>	stick-stemmed pearlwort		FAC-	
	<i>Sagina procumbens</i>	procumbent pearlwort		FAC	
<i>Saponaria officinalis</i>	bouncing bet		UPL		
<i>Scleranthus annua</i>		sandy road edges, esp. in parks			
<i>Silene armeria</i>	sweet William catchfly				

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Silene douglasii</i>	Douglas' silene			
	<i>Silene gallica</i>	windmill pink			
	<i>Silene noctiflora</i>	sticky cockle	seacliffs		
	<i>Spergularia arvensis</i> ssp. <i>arvensis</i>	stickwort			
	<i>Spergularia canadensis</i> var. <i>occidentalis</i>	Canadian sandspurry		FACW	
	<i>Spergularia macrotheca</i>	beach sandspurry		FAC	
	<i>Spergularia rubra</i>	red sandspurry		FAC-	
	<i>Spergularia salina</i>	salt sandspurry	<i>Spergularia marina</i> var. <i>marina</i>	OBL	
	<i>Stellaria alsine</i>	bog sitchwort		FAC	
	<i>Stellaria calycantha</i> var. <i>bongardiana</i>	thick-leaved starwort		FACW	
	<i>Stellaria calycantha</i> var. <i>sitchana</i>	thick-leaved starwort		FACW	
	<i>Stellaria crispa</i>	crisped starwort		FAC+	
	<i>Stellaria humifusa</i>	low starwort		OBL	
	<i>Stellaria longipes</i> var. <i>longipes</i>	long-stalk starwort		FACW-	
	<i>Stellaria media</i>	common chickweed		FACU	
	<i>Stellaria nitens</i>	shining chickweed			
Celastraceae – Staff-tree	<i>Euonymus occidentalis</i>	western wahoo	Uncommon in Coast Range, more common to east		OR-NHP-L4
	<i>Paxistima myrsinites</i>	mountain box	Locally uncommon; more common to east		
Ceratophyllaceae – Hornwort	<i>Ceratophyllum demersum</i>	hornwort		OBL	
Chenopodiaceae – Goosefoot	<i>Atriplex patula</i> var. <i>hastata</i>	fathen		FACW	
	<i>Chenopodium album</i>	lamb's quarter		FAC	
	<i>Chenopodium ambrosioides</i>	Mexican wormseed		FAC	
	<i>Chenopodium botrys</i>	Jerusalem oak		FACU	
	<i>Chenopodium capitatum</i>	strawberry blite			
	<i>Chenopodium rubrum</i>	red goosefoot		FACW+	
	<i>Coriospermum hyssopifolium</i>	common bugseed		FACU	
	<i>Salicornia virginica</i>	pickleweed		OBL	
	<i>Salsola kali</i>	Russian thistle	<i>S. tragus</i> , <i>S. australis</i> , <i>S. iberica</i>	FACU	
	<i>Suaeda maritima</i> var. <i>maritima</i>	herbaceous seablite		FACW+	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Clusiaceae – John's-wort	<i>Hypericum anagalloides</i>	bog St. John's wort		OBL	
	<i>Hypericum boreale</i>	northern St. John's wort		OBL	
	<i>Hypericum canadense</i>	Canada St. John's wort		FACW	
	<i>Hypericum ellipticum</i>	pale St. John's wort		FACW	
	<i>Hypericum majus</i>	greater Canadian St. John's wort	native further north	FACW	
	<i>Hypericum perforatum</i>	common St. John's wort			
	<i>Hypericum scouleri</i> ssp. <i>scouleri</i>	western St. John's wort	<i>Hypericum formosa</i> var. <i>scouleri</i>	FAC	
	<i>Triadenum fraseri</i>	marsh St. John's wort		OBL	
Convolvulaceae – Morning Glory	<i>Calystegia sepium</i>	wild morning-glory	<i>Convolvulus sepium</i> var. <i>sepium</i> f. <i>sepium</i>	FAC	
	<i>Calystegia soldanella</i>	seashore morning-glory	<i>Convolvulus soldanella</i>	NI	
	<i>Convolvulus arvensis</i>	field bindweed			
Cornaceae – Dogwood	<i>Cornus nuttallii</i>	Pacific dogwood		NI	
	<i>Cornus sericea</i> var. <i>occidentalis</i>	creek dogwood	<i>C. stolonifera</i> var. <i>occidentalis</i>	FACW	
	<i>Cornus unalaschkensis</i>	western bunchberry	<i>C. canadensis</i>	FAC-	
Crassulaceae – Stonecrop	<i>Crassula tilaea</i>	<i>Confirm in flower</i>	<i>short, red foliage, sandy road edges, eps. In parks</i>		
	<i>Sedum lanceolatum</i>	lance-leaf sedum	one sandy patch, Klipsan, on Hwy 103		
	<i>Sedum oregonum</i>	Oregon sedum	rocks along coast		
	<i>Sedum spathulifolium</i>	broad-leaved sedum	rocks along Columbia River		
	<i>Tillaea aquatica</i>	water pigmy-weed	<i>Crassula aquatica</i>	OBL	
Cucurbitaceae – Cucumber	<i>Marah oregonus</i>	Oregon bigroot			
Cuscutaceae – Dodder	<i>Cuscuta salina</i>	dodder	salt marshes		
Dipsacaceae – Teasel	<i>Dipsacus sylvestris</i>	teasel	<i>D. fullonum</i> , second species	NI	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Droseraceae – Sundew	<i>Drosera rotundifolia</i>	sundew		OBL	
Elatinaceae – Waterwort	<i>Elatine triandra</i>	three-stamen waterwort		OBL	
Ericaceae – Heath	<i>Arbutus menziesii</i>	Pacific madrone			
	<i>Arctostaphylos uva-ursi</i>	kinnikinnick		FACU-	
	<i>Chimaphila menziesii</i>	little pipsissewa			
	<i>Cladothamnus pyroliflorus</i>	copper-bush	Southern limit for northern species		
	<i>Gaultheria shallon</i>	salal		FACU*	
	<i>Hemitomes congesta</i>	gnomeplant			
	<i>Kalmia occidentalis</i>	western swamp laurel	<i>K. polifolia</i>	OBL	
	<i>Ledum glandulosum</i> var. <i>columbianum</i>	smooth Labrador tea		FACW+	
	<i>Ledum groenlandicum</i>	bog labrador tea		OBL	
	<i>Menziesia ferruginea</i> var. <i>ferruginea</i>	fool's huckleberry, false azalea		FACU+	
	<i>Rhododendron macrophyllum</i>	<i>western rhododendron</i>	<i>one known site, Gearhart Bog; possibly planted</i>		
	<i>Vaccinium alaskaense</i>	Alaska huckleberry		NI	
	<i>Vaccinium caespitosum</i>	dwarf blueberry			
	<i>Vaccinium macrocarpon</i>	cranberry		OBL	
	<i>Vaccinium ovalifolium</i>	oval-leaf huckleberry, blue huckleberry		NI	
	<i>Vaccinium ovatum</i>	evergreen huckleberry			
	<i>Vaccinium oxycoccos</i>	wild cranberry		OBL	OR-NHP-L4
	<i>Vaccinium parvifolium</i>	red huckleberry		NI	
	<i>Vaccinium scoparium</i>	whortleberry		FACU-	
	<i>Vaccinium uliginosum</i> ssp. <i>occidentale</i>	bog blueberry		FACW	
Euphorbiaceae – Spurge	<i>Euphorbia lathyris</i>	mole plant			
	<i>Euphorbia peplus</i>	petty spurge			
	<i>Euphorbia supina</i>	milk spurge			
Fabaceae – Pea	<i>Amorpha fruticosa</i>	false indigo		FACW	
	<i>Cytisus scoparius</i>	Scots broom			

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

<i>Family</i>	<i>Scientific Name</i>	<i>Common Name</i>	<i>Notes, name changes, etc.</i>	<i>Wetland Status</i>	<i>ESA or state-listed</i>
	<i>Lathyrus holochlorus</i>	thin-leaved peavine			
	<i>Lathyrus japonicus</i>	purple beach pea		FACU-	
	<i>Lathyrus latifolius</i>	perennial peavine			
	<i>Lathyrus littoralis</i>	gray beach pea			
	<i>Lathyrus nevadensis</i> ssp. <i>lanceolatus</i> var. <i>pilosellus</i>	Nuttall's peavine			
	<i>Lathyrus palustris</i>	marsh pea		OBL	
	<i>Lathyrus polyphyllus</i>	leafy peavine			
	<i>Lathyrus sphaericus</i>	grass peavine			
	<i>Lotus corniculatus</i>	birds'foot trefoil		FAC	
	<i>Lotus crassifolius</i> var. <i>subglaber</i>	big deervetch			
	<i>Lotus formosissimus</i>	seaside lotus		FACW+	
	<i>Lotus micranthus</i>	small-flowered deervetch			
	<i>Lotus nevadensis</i> var. <i>douglasii</i>	Nevada deervetch			
	<i>Lotus purshianus</i>	Spanish clover			
	<i>Lupinus arboreus</i> var. <i>arboreus</i>	tree lupine			
	<i>Lupinus bicolor</i>	two-color lupine			
	<i>Lupinus latifolius</i> var. <i>latifolius</i>	broad-leaved lupine		NI	
	<i>Lupinus lepidus</i> var. <i>lepidus</i>	prairie lupine			
	<i>Lupinus littoralis</i>	seashore lupine			
	<i>Lupinus micranthus</i>	field lupine			
	<i>Lupinus polyphyllus</i> var. <i>pallidipes</i>	many-leaved lupine		FAC+	
	<i>Lupinus rivularis</i>	stream lupine		FACU	
	<i>Lupinus sulphureus</i> var. <i>kincaidii</i>	sulfur lupine			
	<i>Melilotus alba</i>	white sweet-clover		FACU	
	<i>Robinia pseudoacacia</i>	black locust		FACU	
	<i>Thermopsis montana</i> var. <i>ovata</i>	mountain buckbean			
	<i>Trifolium arvense</i>	rabbit-foot clover			
	<i>Trifolium dubium</i>	least hop clover		UPL	
	<i>Trifolium hybridum</i>	Alsike clover		FAC	
	<i>Trifolium longipes</i> ssp. <i>caurinum</i>	long-stalked clover		FAC-	
	<i>Trifolium macraei</i> var. <i>albopurpureum</i>	rancheria clover			
	<i>Trifolium microcephalum</i>	small-headed clover		FAC	
	<i>Trifolium microdon</i>	thimble clover			
	<i>Trifolium oliganthum</i>	few-flowered clover			
	<i>Trifolium pratense</i>	red clover		FACU	
	<i>Trifolium procumbens</i>	hop clover			

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Trifolium repens</i>	white clover		FAC-	
	<i>Trifolium subterraneum</i>	subterranean clover			
	<i>Trifolium variegatum</i> var. <i>variegatum</i>	white-tip clover		FAC*	
	<i>Trifolium willdenovii</i>	tomcat clover	<i>T. tridentatum</i>	NI	
	<i>Trifolium wormskioldii</i>	springbank clover, cows clover	<i>Trifolium wormskioldii</i>	FACW+	
	<i>Ulex europaeus</i>	gorse			
	<i>Vicia americana</i> var. <i>truncata</i>	American vetch		FAC*	
	<i>Vicia americana</i> var. <i>villosa</i>	American vetch		FAC*	
	<i>Vicia cracca</i>	tufted vetch			
	<i>Vicia disperma</i>	two-seeded vetch			
	<i>Vicia nigricans</i> ssp. <i>gigantea</i>	giant vetch	<i>Vicia gigantea</i>		
	<i>Vicia hirsuta</i>	hairy vetch			
	<i>Vicia sativa</i> var. <i>angustifolius</i>	common vetch		UPL	
	<i>Vicia tetrasperma</i>	slender vetch			
	<i>Vicia villosa</i>	woolly vetch			
Fagaceae – Oak	<i>Quercus garryana</i>	Oregon white oak	native to eastern portion of area, not coastal	UPL	
Fumariaceae – Bleeding Heart	<i>Corydalis scouleri</i>	Scouler's corydalis		FAC+	
	<i>Dicentra cucullaria</i>	Dutchman's breeches	Rare in Coast Range, more common to east		
	<i>Dicentra formosa</i>	bleeding heart	occasional white flr'd plants seen	FACU*	
Gentianaceae – Gentian	<i>Centaureum erythraea</i>	common centaury	<i>C. umbellatum</i> , <i>C. pulchellum</i>	FAC	
	<i>Gentiana sceptrum</i>	king's gentian	Locally uncommon, habitat loss	OBL	
Geraniaceae – Geranium	<i>Erodium cicutarium</i>	filaree			
	<i>Geranium carolinianum</i>	Carolina geranium			
	<i>Geranium columbinum</i>	long-stalked geranium			
	<i>Geranium dissectum</i>	cut-leaved geranium			
	<i>Geranium molle</i>	dovefoot geranium			
	<i>Geranium robertianum</i>	herb Robert			

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Grossulariaceae – Currant & Gooseberry	<i>Ribes bracteosum</i>	stink currant		FAC	
	<i>Ribes divaricatum</i> var. <i>divaricatum</i>	coast black gooseberry, spreading g		FAC*	
	<i>Ribes lacustre</i>	swamp gooseberry, prickly g		FACW	
	<i>Ribes laxiflorum</i>	trailing black currant			
	<i>Ribes sanguineum</i>	red-flowering currant			
Haloragaceae – Milfoil	<i>Myriophyllum aquaticum</i>	parrotfeather milfoil	<i>M. brasilense</i>	OBL	
	<i>Myriophyllum hippuroides</i>	Western watermilfoil		OBL	
	<i>Myriophyllum spicatum</i>	Eurasian watermilfoil		OBL	
	<i>Myriophyllum ussuriense</i>	Siberian watermilfoil		OBL	OR-NHP-L3
Hippuridaceae – Mare's-tail	<i>Hippuris vulgaris</i>	common mare's-tail		OBL	
Hydrangeaceae – Hydrangea	<i>Philadelphus lewesii</i>	mock orange		NI	
Hydrophyllaceae – Waterleaf	<i>Hydrophyllum tenuipes</i>	Pacific waterleaf			
	<i>Nemophila parviflora</i> var. <i>parviflora</i>	small-flowered nemophila			
	<i>Phacelia bolanderi</i>	Bolander's phacelia	North limit of range for southern species: Willapa Hills		
	<i>Phacelia hastata</i>	silverleaf phacelia			
	<i>Phacelia heterophylla</i>	virgate phacelia		FACU	
	<i>Phacelia nemoralis</i> ssp. <i>nemoralis</i>	woodland phacelia			
	<i>Romanzoffiana sitchensis</i>	Sitka mistmaiden		FACW-	
<i>Romanzoffiana tracyi</i>	Tracy's mistmaiden				
Lamiaceae – Mint	<i>Ajuga reptans</i>	bugle			
	<i>Glechoma hederacea</i>	gill-over-the-ground		FACU+	
	<i>Lamium purpureum</i>	red dead-nettle			
	<i>Lycopus americanus</i>	cut-leaved bugleweed, American water horehound		OBL	
	<i>Lycopus asper</i>	rough bugleweed		OBL	
	<i>Lycopus uniflorus</i>	northern bugleweed		OBL	
	<i>Mentha aquatilis</i>	water mint	<i>Mentha piperita</i> ssp. <i>citrata</i>	FACW	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Mentha arvensis</i> var. <i>glabrata</i>	field mint		FACW-	
	<i>Mentha x piperita</i>	peppermint	[<i>M. aquaticum</i> X <i>spicatum</i>]	FACW+	
	<i>Mentha pulegium</i>	pennyroyal		OBL	
	<i>Mentha spicata</i>	spearmint			
	<i>Prunella vulgaris</i> var. <i>lanceolata</i>	self-heal, heal-all	pink flowers	FACU+	
	<i>Prunella vulgaris</i> var. <i>vulgaris</i>	self-heal, heal-all	purple flowers	FACU+	
	<i>Satureja douglasii</i>	yerba buena			
	<i>Scutellaria galericulata</i>	willow-weed skullcap	<i>S. epilobifolia</i>	OBL	
	<i>Scutellaria lateriflora</i>	mad-dog skullcap		FACW+	
	<i>Stachys ajacoides</i> var. <i>rigida</i>	Mexican hedge-nettle	<i>S. mexicana</i>	NI	
	<i>Stachys chamissonis</i> var. <i>cooleyae</i>	coast hedge-nettle	<i>Stachys cooleyae</i>	FACW	
	<i>Stachys palustris</i> ssp. <i>palustris</i>	marsh betony		FACW+	
	<i>Trichostema lanceolatum</i>	vinegar-weed			
Lentibulariaceae – Bladderwort	<i>Pinguicula macroceras</i> var. <i>macroceras</i>	California butterwort	<i>Pinguicula vulgaris</i>	NI	
	<i>Utricularia macrorhiza</i>	common bladderwort	<i>Utricularia vulgaris</i>	OBL	
Loranthaceae – Mistletoe	<i>Arceuthobium campylopodum</i>	western dwarf mistletoe			
	<i>Arceuthobium tsugensis</i>	hemlock dwarf mistletoe			
Lythraceae – Loosestrife	<i>Lythrum hyssopifolia</i>	hyssop loosestrife		OBL	
	<i>Lythrum portula</i>	water purslane		NI	
	<i>Lythrum salicaria</i>	purple loosestrife		FACW+	
Malvaceae – Mallow	<i>Malva moschata</i>	musk mallow		NI	
	<i>Malva neglecta</i>	common mallow			
	<i>Sidalcea hendersonii</i>	Henderson's sidalcea	Locally rare; habitat loss	FACW+	OR-NHP-L2 OR-NHP-L2, Candidate
	<i>Sidalcea hirtipes</i>	hairy-stemmed checker-mallow			Fed-T; OR-LT, NHP-L1
	<i>Sidalcea nelsoniana</i>	Nelson's checker-mallow		FAC+	
Menyanthaceae – Buckbean	<i>Menyanthes trifoliata</i>	buckbean		OBL	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
Moraceae – Mulberry	<i>Humulus lupulus</i>	hops	Occasional escapee, usually near old homestead sites		
Myricaceae – Myrtle	<i>Myrica californica</i>	Pacific wax myrtle		FACW	
	<i>Myrica gale</i> var. <i>gale</i>	sweet gale		OBL	
Nyctaginaceae – Four O'clock	<i>Abronia latifolia</i>	yellow sand verbena			OR-NHP-L4
	<i>Abronia umbellata</i> ssp. <i>brevifolia</i>	pink sand verbena	Prob. extirpated from WA		Fed-E; OR-NHP-L1
Nymphaeaceae – Water Lily	<i>Nuphar polysepalum</i>	yellow water lily, spatterdock	<i>Nuphar luteum</i> ssp. <i>polysepalum</i>	OBL	
	<i>Numphaea odorata</i>	fragrant water lily		OBL	
Oleaceae – Olive & Ash	<i>Fraxinus latifolia</i>	Oregon ash		FACW	
Onagraceae – Evening Primrose	<i>Circaea alpina</i>	enchanter's nightshade		FAC	
	<i>Clarkia amoena</i> var. <i>caurina</i>	farewell-to-spring, clarkia			
	<i>Clarkia amoena</i> var. <i>lindleyi</i>	farewell-to-spring, clarkia			
	<i>Epilobium angustifolium</i>	fireweed		FACU+	
	<i>Epilobium brachycarpum</i>	tall willowherb	<i>E. paniculatum</i> var. <i>jucundum</i>	UPL	
	<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i>	fringed willowherb	<i>E. watsonii</i> , several vars.	FACW-	
	<i>Epilobium glaberrimum</i> var. <i>fastigiatum</i>	smooth willowherb		FACW	
	<i>Epilobium glaberrimum</i> var. <i>glandulosum</i>	smooth willowherb		FACW	
	<i>Epilobium lactiflorum</i>	milkflower willowherb	<i>Epilobium alpinum</i> var. <i>lactiflorum</i>	FACW	
	<i>Epilobium minutum</i>	small-flowered willowherb		NI	
	<i>Ludwigia palustris</i> var. <i>pacifica</i>	water-purslane		OBL	
	<i>Oenothera glazoviana</i>	red-sepaled evening primrose	<i>O. erythrosepala</i>		
Orobanchaceae – Broomrape	<i>Boschniakia hookeri</i>	small ground-cone			
	<i>Orobanche californica</i> var. <i>californica</i>	<i>California broomrape</i>			

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Orobanche uniflora</i>	naked broomrape		FACU	
Oxalidaceae – Wood Sorrel	<i>Oxalis corniculata</i>	creeping wood-sorrel		FACU	
	<i>Oxalis oregana</i>	Oregon wood-sorrel		NI	
	<i>Oxalis stricta</i>	upright yellow sorrel			
Papaveraceae – Poppy	<i>Eschscholtzia californica</i>	California poppy			
	<i>Papaver somniferum</i>	opium poppy			
Plantaginaceae – Plantain	<i>Plantago coronopus</i>	tooth-leaved plantain		FACW	
	<i>Plantago lanceolata</i>	ribwort, narrowleaf plantain		FACU+	
	<i>Plantago major</i> var. <i>major</i>	common plantain		FAC	
	<i>Plantago major</i> var. <i>pachyphylla</i>	common plantain			
	<i>Plantago maritima</i> ssp. <i>juncoides</i>	seaside plantain		FACW+	
	<i>Plantago subnuda</i>	Mexican plantain	<i>P. hirtella</i> ; northern end of range for southern species: Grays Harbor	FACW	
Plumbaginaceae – Plumbago	<i>Armeria maritima</i>	sea-pink		FACU*	
Polemoniaceae – Phlox	<i>Collomia heterophylla</i>	varied-leaf collomia			
	<i>Gilia capitata</i> var. <i>capitata</i>	globe gilia		NI	
	<i>Navarettia intertexta</i> var. <i>intertexta</i>	needle-leaf navarettia		FACW	
	<i>Navarettia squarrosa</i>	northern skunkweed		NI	
	<i>Phlox diffusa</i> ssp. <i>longistylis</i>	spreading phlox			
	<i>Phlox gracilis</i> var. <i>gracilllis</i>	pink phlox	<i>Microsteris gracilis</i>		
	<i>Polemonium carneum</i>	great polemonium			WA-T
Polygonaceae – Buckwheat	<i>Fagopyrum tartaricum</i>	buckwheat	<i>F. esculentum</i>		
	<i>Polygonum amphibium</i>	water smartweed		OBL	
	<i>Polygonum amphibium</i> ssp. <i>coccineum</i>	water smartweed	<i>Polygonum coccineum</i>	OBL	
	<i>Polygonum aviculare</i>	common knotweed	<i>P. arenastrum</i>	FACW-	
	<i>Polygonum bistortoides</i>	western bistort		FACW*	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Polygonum convolvulus</i>	climbing bindweed		FACU-	
	<i>Polygonum cuspidatum</i>	Japanese knotweed		FACU*	
	<i>Polygonum douglasii</i>	Douglas' knotweed		FACU	
	<i>Polygonum fowleri</i>	Fowler's knotweed		FACW	
	<i>Polygonum hydropiper</i>	marshpepper		OBL	
	<i>Polygonum hydropiperoides</i>	swamp smartweed	<i>Polygonum hydropiperoides</i> var. <i>hydropiperoides</i>	OBL	
	<i>Polygonum lapathifolium</i>	willow weed		FACW	
	<i>Polygonum minimum</i>	leafy dwarf knotweed		FACU+	
	<i>Polygonum nuttallii</i>	Nuttall's knotweed			
	<i>Polygonum paronychia</i>	black knotweed		NI	
	<i>Polygonum persicaria</i>	lady's thumb		FACW	
	<i>Polygonum polystachya</i>	Himalayan knotweed		FAC	
	<i>Polygonum punctatum</i>	dotted smartweed	Walluski R., L&C R, other CRE sites; check variety	OBL	
	<i>Polygonum sachalinense</i>	giant knotweed		FACU*	
	<i>Rumex acetosella</i>	sheep sorrel		FACU+	
	<i>Rumex aquaticus</i> var. <i>fenestratus</i>	western dock	<i>Rumex occidentalis</i> var. <i>procerus</i>	FACW+	
	<i>Rumex conglomeratus</i>	clustered dock		FACW	
	<i>Rumex crispus</i>	curly dock		FAC+	
	<i>Rumex dentatus</i>	toothed dock			
	<i>Rumex maritimus</i>	golden dock	<i>R. persicarioides</i>	FACW+	
	<i>Rumex obtusifolius</i>	bitter dock		FAC	
	<i>Rumex salicifolius</i>	willow dock	check ssp. w/ FNA	FACW	
Portulacaceae – Purslane					
	<i>Calandrina ciliata</i>	red maids		NI	
	<i>Claytonia cordifolia</i>	broad-leaved montia		FAC	
	<i>Claytonia exigua</i>	pale montia	<i>Montia exigua</i> , <i>M. spathulata</i>		
	<i>Claytonia perfoliata</i>	miner's lettuce		FAC	
	<i>Claytonia sibirica</i>	Siberian candyflower	<i>Montia sibirica</i>	FAC-	
	<i>Lewisia columbiana</i> var. <i>rupicola</i>	Columbia lewisia	Southern limit for northern species		OR-NHP-L2
	<i>Montia diffusa</i>	small-leaved montia	<i>M. parvifolia</i> var. <i>flagellaris</i>	FACW-	WA-S
	<i>Montia fontana</i> ssp. <i>amportana</i>	water chickweed		OBL	
	<i>Montia linearis</i>	narrow-leaved montia			
	<i>Montia parvifolia</i> var. <i>parvifolia</i>	little-leaved montia		FACW-	
	<i>Portulaca oleracea</i>	common purslane		FAC	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

<i>Family</i>	<i>Scientific Name</i>	<i>Common Name</i>	<i>Notes, name changes, etc.</i>	<i>Wetland Status</i>	<i>ESA or state-listed</i>
Primulaceae – Primrose	<i>Anagallis arvensis</i>	pimpernel		FAC	
	<i>Anagallis minima</i>	chaffweed	<i>Centunculus minimus</i>	FACW	
	<i>Dodecatheon austrofrigidum</i>	frigid shooting star	Regional endemic		Fed-SC; OR-NHP-L1; WA-E
	<i>Dodecatheon dentatum</i>	dentate shooting star		FACW*	
	<i>Dodecatheon pulchellum</i>	dark-throated shooting star		FACW	
	<i>Douglasia laevigata</i> var. <i>ciliolata</i>	smooth Douglasia	Southern limit for northern species		OR-NHP-L3
	<i>Glaux maritimus</i>	saltwort		FACW+	
	<i>Lysimachia ciliata</i>	fringed loosestrife		FACW+	
	<i>Lysimachia nummularia</i>	creeping Jenny		FACW	
	<i>Lysimachia terrestris</i>	bog loosestrife	yellow firs, marshes	OBL	
	<i>Lysimachia thrysifolia</i>	tufted loosestrife		OBL	
	<i>Samolus valerandi</i> ssp. <i>parviflorus</i>	seaside brookweed	<i>S. valerandi</i> , <i>S. parviflorus</i>	OBL	OR-NHP-L3; WA-S
	<i>Trientalis arctica</i>	northern starflower	<i>T. borealis</i> ssp. <i>arctica</i>	OBL	
	<i>Trientalis latifolia</i>	western starflower	<i>T. borealis</i> ssp. <i>latifolia</i>	FAC-	
	Pyrolaceae - Wintergreen	<i>Moneses uniflora</i>	wood nymph	<i>Pyrola uniflora</i>	FACU
<i>Monotropa hypopithys</i>		pinetop	<i>Hypopitys monotropa</i>	FACU	
<i>Monotropa uniflora</i>		indian-pipe	<i>Hypopitys uniflora</i>	FACU	
<i>Pyrola asarifolia</i> var. <i>asarifolia</i>		pink wintergreen		FACW	
<i>Pyrola picta</i>		white-veined wintergreen			
Ranunculaceae – Buttercup	<i>Actaea rubra</i>	baneberry	red and white berry forms seen locally	NI	
	<i>Anemone deltoidea</i>	three-leaf anemone			
	<i>Anemone lyallii</i>	Lyall's anemone			
	<i>Anemone multifida</i>	cut-leaf anemone			
	<i>Anemone oregana</i>	Oregon anemone		FACU	
	<i>Aquilegia formosa</i>	red columbine		FAC	
	<i>Caltha leptosepala</i> ssp. <i>biflora</i>	white marsh-marigold		OBL	
	<i>Caltha palustris</i> ssp. <i>asarifolia</i>	western marsh-marigold		OBL	
	<i>Cimicifuga elata</i>	tall bugbane			Fed-SC; OR-NHP-L1; WA-S

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Clematis vitalba</i>	traveller's joy			
	<i>Coptis laciniata</i>	cut-leaf goldthread		FAC	
	<i>Delphinium leucophaeum</i>	pale larkspur		FACU	
	<i>Delphinium menziesii</i> var. <i>menziesii</i>	Menzie's larkspur			
	<i>Delphinium menziesii</i> var. <i>pyramidale</i>	Menzie's larkspur	<i>D. oregonum</i>		OR-NHP-L1
	<i>Delphinium nuttallii</i>	Nuttall's larkspur			
	<i>Delphinium trolliifolium</i>	Columbia larkspur			
	<i>Isopyrum hallii</i>	Hall's isopyrum			
	<i>Ranunculus acris</i>	meadow buttercup		FACW-	
	<i>Ranunculus alismaefolius</i>	water-plantain		FACW	
	<i>Ranunculus aquatilis</i> var. <i>hispidulus</i>	white water buttercup		OBL	
	<i>Ranunculus californicus</i>	California buttercup	Check, Clatsop Co, n end range; usually with multiple petals	FAC*	
	<i>Ranunculus flammula</i>	creeping spearwort		OBL	
	<i>Ranunculus occidentalis</i>	western buttercup		FAC	
	<i>Ranunculus orthorhynchus</i>	straightbeak buttercup		FACW	
	<i>Ranunculus repens</i>	creeping buttercup		FACW	
	<i>Ranunculus sceleratus</i>	celery-leaved buttercup		OBL	
	<i>Ranunculus uncinatus</i>	little buttercup		FAC	
	<i>Thalictrum occidentale</i>	western meadowrue		FACU*	
	<i>Trautvetteria carolinensis</i> var. <i>occidentalis</i>	false bugbane		FAC	
Rhamnaceae – Buckthorn	<i>Ceanothus sanguineus</i>	redstem ceanothus		UPL	
	<i>Fragula purshiana</i>	cascara	<i>Rhamnus purshiana</i>	FAC-	
Rosaceae – Rose	<i>Alchemilla occidentalis</i>	western lady's mantle			
	<i>Amelanchier alnifolia</i>	serviceberry		FACU	
	<i>Argentina egedii</i>	Pacific silverweed	<i>Potentilla egedii</i> , <i>P. pacifica</i> , <i>P. anserina</i> ssp. <i>pacifica</i>	OBL	
	<i>Aruncus sylvestris</i>	goatsbeard		FACU+	
	<i>Comarum palustre</i>	purple marshlocks	<i>Potentilla palustris</i>	OBL	
	<i>Cotoneaster franchettii</i>	Franchett's cotoneaster	cliffs above campground, CDSP		
	<i>Cotoneaster horizontalis</i>	rock cotoneaster	Jetty Road, CDSP		
	<i>Cotoneaster rugosus</i>	cotoneaster	dunes		
	<i>Crateagus douglasii</i> var. <i>suksdorfii</i>	black hawthorn		FAC	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Crateagus monogyna</i>	hawthorn		FAC-	
	<i>Filipendula occidentalis</i>	queen-of-the-forest	Regional endemic	NI	Fed-SC; OR-NHP-L1; WA-T
	<i>Fragaria chiloensis</i>	coast strawberry			
	<i>Fragaria vesca</i>	wood strawberry		NI	
	<i>Fragaria virginica</i>	broad-petal strawberry		FACU	
	<i>Geum macrophyllum</i>	large-leaved avens		FAC+	
	<i>Geum triflorum</i> var. <i>campanulatum</i>	prairie smoke	Southern limit for northern species	FACU	OR-NHP-L2
	<i>Holodiscus discolor</i>	oceanspray		NI	
	<i>Malus fusca</i>	western crabapple	<i>Pyrus fusca</i>	FACW	
	<i>Malus sylvestris</i>	domestic apple	<i>Pyrus malus</i>		
	<i>Oemleria cerasiformis</i>	Indian plum		FACU	
	<i>Physocarpus capitatus</i>	Pacific ninebark		FACW	
	<i>Potentilla glandulosa</i>	sticky cinquefoil		FAC-	
	<i>Potentilla gracilis</i> var. <i>gracilis</i>	slender cinquefoil		FAC	
	<i>Potentilla palustris</i>	marsh cinquefoil			
	<i>Prunus avium</i>	sweet cherry			
	<i>Prunus cerasus</i>	sour cherry			
	<i>Prunus domestica</i>	Damson plum			
	<i>Prunus emarginata</i>	bitter cherry		FACU	
	<i>Prunus laurocerasus</i>	cherry laurel			
	<i>Prunus virginiana</i> var. <i>demissa</i>	common chokecherry		FACU	
	<i>Pyracantha coccinea</i>	firethorn			
	<i>Rosa canina</i>	dog rose			
	<i>Rosa gymnocarpa</i>	baldhip rose		FACU	
	<i>Rosa nutkana</i>	Nootka rose		FAC-	
	<i>Rosa pisocarpa</i>	cluster rose		FAC	
	<i>Rosa rugosa</i>	Turkestan rose		NI; FACU Nat'l	
	<i>Rubus armeniacus</i>	Himalayan blackberry	<i>R. discolor</i> , <i>R. procerus</i>	FACU	
	<i>Rubus laciniatus</i>	cutleaf blackberry, evergreen b		FACU+	
	<i>Rubus leucodermis</i>	blackcap		NI	
	<i>Rubus parviflorus</i>	thimbleberry	one of the most misnamed plants I know of	FAC-	
	<i>Rubus pedatus</i>	five-leaved bramble		FACU*	
	<i>Rubus spectabilis</i>	salmonberry		FAC+	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Rubus ursinus</i>	dewberry, trailing blackberry, California blackberry		FACU	
	<i>Rubus vestitus</i>	European blackberry			
	<i>Sanguisorba occidentalis</i>	western burnet			
	<i>Sorbus aucuparia</i>	European mountain-ash			
	<i>Sorbus sitchensis</i>	Sitka mountain-ash		NI	
	<i>Spiraea douglasii</i>	Douglas' spiraea		FACW	
Rubiaceae – Bedstraw	<i>Asperula odorata</i>	sweet woodruff			
	<i>Galium aparine</i>	cleavers, stickywilly		FACU	
	<i>Galium boreale</i> ssp. <i>septentrionale</i>	northern bedstraw	<i>G. kamschatcanum</i>	FACU	
	<i>Galium cymosum</i>	Pacific bedstraw	in marshes, very showy flowers; <i>G. trifidum</i> var. <i>columbianum</i>		
	<i>Galium oreganum</i>	Oregon bedstraw			
	<i>Galium trifidum</i> var. <i>pacificum</i>	three-petal bedstraw	In marshes, less showy than <i>C. oreganum</i>	FACW	
	<i>Galium triflorum</i>	sweet-scented bedstraw		FACU	
	<i>Sherardia arvensis</i>	blue field-madder			
Salicaceae – Willow	<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>	black cottonwood		FAC	
	<i>Salix alba</i> var. <i>vitellana</i>	golden willow		FACW	
	<i>Salix exigua</i>	narrowleaf willow		OBL	
	<i>Salix fluviatilis</i>	river willow		OBL	
	<i>Salix geyeriana</i>	Geyer's willow		FACW+	
	<i>Salix hookeriana</i>	coast willow, Hooker's willow	<i>S. piperi</i> , <i>S. scouleriana</i>	FACW	
	<i>Salix lucida</i> ssp. <i>lasiandra</i>	Pacific willow		FACW+	
	<i>Salix lucida</i> ssp. <i>lasiandra</i> ?	willow	very long leaf, shrubby to tall tree form, ID unknown; perhaps <i>Salix rigida</i> var. <i>mackenzieana</i> ?		
	<i>Salix pedicellaris</i>	<i>bog willow</i>	<i>recollect and confirm in region</i>	OBL	
	<i>Salix sessilifolia</i>	northwest sandbar willow		FACW	WA-S
	<i>Salix sitchensis</i>	Sitka willow		FACW	
Saxifragaceae – Saxifrage	<i>Boykinia elata</i>	coast, slender boykinia	<i>B. occidentale</i>	FAC	
	<i>Boykinia major</i>	greater boykinia		FACW	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Chrysosplenium glechomaefolium</i>	Pacific water-carpet		OBL	
	<i>Heuchera micrantha</i> var. <i>diversifolia</i>	small-flowered alumroot			
	<i>Lithophragma parviflorum</i>	small-flowered prairie star			
	<i>Mitella caulescens</i>	leafy miterwort		NI	
	<i>Mitella ovalis</i>	oval-leaved mitrewort		OBL	
	<i>Mitella pentandra</i>	alpine mitrewort		FAC*	
	<i>Parnassia palustris</i> var. <i>tenuis</i>	marsh grass-of-Parnassus	<i>P. palustris</i> var. <i>neogaea</i>	OBL	
	<i>Penthorum sedoides</i>	ditch stonecrop	In freshwater tidal marshes, Columbia River	OBL	
	<i>Saxifraga bronchialis</i> ssp. <i>vespertina</i>	matted saxifrage	Rare in Coast Range, more common to east	FACU-	
	<i>Saxifraga caespitosa</i> var. <i>subgemmifera</i>	tufted saxifrage		FAC	
	<i>Saxifraga ferruginea</i> var. <i>macounii</i>	rusty saxifrage		FAC	
	<i>Saxifraga hitchcockiana</i>	Saddle Mountain saxifrage	<i>S. occidentalis</i> var. <i>latiopetiolata</i> ; regional endemic	FAC	Fed-SC; OR-NHP-L1
	<i>Saxifraga integrifolia</i>	swamp saxifrage		FACW*	
	<i>Saxifraga mertensiana</i>	Merten's saxifrage		FACW	
	<i>Saxifraga nuttallii</i>	Nuttall's saxifrage		OBL	
	<i>Saxifraga occidentalis</i> var. <i>dentata</i>	western saxifrage		FAC	
	<i>Saxifraga occidentalis</i> var. <i>rufidula</i>	western saxifrage		FAC	
	<i>Tellima grandiflora</i>	fringecup		NI	
	<i>Tiarella trifoliata</i> var. <i>trifoliata</i>	foamflower		FAC-	
	<i>Tolmiea menziesii</i>	pig-a-back plant		FAC	
Scrophulariaceae – Figwort	<i>Castilleja ambigua</i> ssp. <i>ambigua</i>	Johnny-nip	<i>Orthocarpus castillejooides</i>	FACW+	
	<i>Castilleja chambersii</i>	Chamber's paintbrush	Regional endemic		Fed-SC; OR-NHP-L1
	<i>Castilleja hispida</i> var. <i>hispida</i>	harsh Indian paintbrush			
	<i>Castilleja littoralis</i>	coast paintbrush	<i>C. ambigua</i> var. <i>littoralis</i> ; polymorphic, extremely variable coastal form		
	<i>Castilleja miniata</i> ssp. <i>dixonii</i>	giant red Indian paintbrush	may be part of <i>C. littoralis</i> complex	FAC	
	<i>Collinsia parviflora</i>	small-flowered blue-eyed Mary			
	<i>Digitalis purpurea</i>	foxglove		FACU*	
	<i>Euphrasia arctica</i> var. <i>disjuncta</i>	<i>arctic eyebright</i>			

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Euphrasia stricta</i>	hairy eyebright	<i>E. officinalis</i>		
	<i>Gratiola ebracteata</i>	bractless hedge-hyssop		OBL	
	<i>Gratiola neglecta</i>	common American hedge-hyssop		OBL	
	<i>Limosella acaulis</i>	southern mudwort		OBL	
	<i>Limosella aquatica</i>	mudwort		OBL	
	<i>Linaria genistifolia</i> ssp. <i>dalmatica</i>	Dalmatian toadflax			
	<i>Linaria marocanna</i>	Moroccan toadflax			
	<i>Linaria vulgaris</i>	butter-and-eggs			
	<i>Lindernia dubia</i>	yellowseed false pimpernel		OBL	
	<i>Mazus japonicus</i>	Japanese mazus		FACW	
	<i>Mimulus alsinoides</i>	chickweed monkeyflower		OBL	
	<i>Mimulus dentatus</i>	tooth-leaved monkeyflower		OBL	
	<i>Mimulus guttatus</i> var. <i>depauperatus</i>	yellow monkeyflower		OBL	
	<i>Mimulus guttatus</i> var. <i>grandis</i>	yellow monkeyflower	on coastal cliffs	OBL	
	<i>Mimulus guttatus</i> var. <i>guttatus</i>	yellow monkeyflower		OBL	
	<i>Mimulus moschatus</i>	musk-flower		FACW+	
	<i>Mimulus ringens</i>	purple monkeyflower	Columbia River islands	OBL	
	<i>Nothochelone nemorosa</i>	woodland beard-tongue	<i>Penstemon nemorosa</i>		
	<i>Parentucellia viscosa</i>	parentucellia		FAC-	
	<i>Pedicularis racemosa</i>	leafy lousewort			
	<i>Penstemon cardwellii</i>	Cardwell's penstemon			
	<i>Penstemon ovatus</i>	broad-leaved penstemon			
	<i>Penstemon richardsonii</i>	Richardson's penstemon			
	<i>Penstemon serratulus</i>	coast penstemon		FACU*	
	<i>Rhinanthus minor</i> ssp. <i>minor</i>	little yellow rattle	<i>Rhinanthus crista-galli</i> ; southern limit for northern species	FACU+	OR-NHP-L4
	<i>Scrophularia californica</i> ssp. <i>californica</i>	California figwort			
	<i>Scrophularia lanceolata</i>	lance-leaved figwort		FAC	
	<i>Synthyris reniformis</i>	snow-queen			
	<i>Synthyris schizantha</i>	fringed synthyris	Southern limit for northern species		OR-NHP-L4
	<i>Tonella tenella</i>	small-flowered tenella			
	<i>Triphysaria pusilla</i>	dwarf owl-clover	<i>Orthocarpus pusillus</i>		
	<i>Verbascum thapsus</i>	mullein		NI	
	<i>Veronica americana</i>	American brookline		OBL	
	<i>Veronica arvensis</i>	wall speedwell		FACU*	
	<i>Veronica chamaedrys</i>	Germander speedwell		NI	

Row Codes:

Introduced species (gray bar)

Aggressive introduced species (gray bar, bold, italics)*Confirm species identification, distribution is local in FNA (Monaco, italics bar)***Rare, uncommon or endemic species (bold)**

Family	Scientific Name	Common Name	Notes, name changes, etc.	Wetland Status	ESA or state-listed
	<i>Veronica officinalis</i>	common speedwell		UPL	
	<i>Veronica peregrina</i>	purslane speedwell		OBL	
	<i>Veronica scutellata</i>	marsh speedwell		OBL	
	<i>Veronica serpyllifolia</i> var. <i>humifusa</i>	thyme-leaved speedwell		FAC	
	<i>Veronica serpyllifolia</i> var. <i>serpyllifolia</i>	thyme-leaved speedwell		FAC	
Solanaceae – Nightshade	<i>Solanum dulcamara</i>	bittersweet		FAC+	
	<i>Solanum nigrum</i>	black nightshade		FACU	
Urticaceae – Nettle	<i>Urtica dioica</i> ssp. <i>gracilis</i>	California nettle	<i>Urtica dioica</i> ssp. <i>lyallii</i>	FAC+	
Valerianaceae – Valerian	<i>Plectritis brachystemon</i>	rosy plectritis		FACU+	
	<i>Plectritis congesta</i>	sea blush		FACU+	
	<i>Valeriana sitchensis</i> ssp. <i>scouleri</i>	Scouler's valerian		FAC	
	<i>Valeriana sitchensis</i> ssp. <i>sitchensis</i>	Sitka valerian		FAC	
	<i>Valerianella locusta</i>	common cornsalad			
Violaceae – Violet	<i>Viola adunca</i>	early blue violet		FAC	
	<i>Viola arvensis</i>	wild pansy			
	<i>Viola glabella</i>	early yellow violet		FAC	
	<i>Viola lanceolata</i>	lance-leaved violet	cranberry associate	OBL	
	<i>Viola langsдорфii</i>	Alaska violet		FACW	
	<i>Viola palustris</i>	marsh violet		OBL	
	<i>Viola sempervirens</i>	evergreen violet			
Vitaceae – Grape	<i>Vitis labrusca</i>	muscat	Occasional escapee	FACU	